Volume 40 2005

Author Index

A

Abdukeyum, G., 329 Abe, R., 1117 Abeywardena, M.Y., 69, 925 Abreu, P.M., 1075 Adams, M.J., 69, 925 Adlercreutz, P., 969 Aguilera, C., 471 Ahotupa, M., 349, 437 Ai, W., 131 Alessandri, J.-M., 719 André, A., 799 Angelini, F., 661 Ashikari, T., 25 Avato, P., 1051 Azian, A.L., 575 Azizian, H., 855

B

Bae, B.H., 981 Balliano, G., 729, 1257 Barceló-Coblijn, G., 787 Bar-Tana, J., 559 Bauchart, D., 295, 1245 Bauman, D.E., 89, 509 Bazinet, R.P., 1149 Beermann, C., 211 Bell, J.G., 13 Bell, M.V., 703 Berge, R.K., 477 Berger, R.G., 323 Berry, S.E.E., 1221 Bertrais, S., 335 Bertschi, I., 581 Blake, R.J., 433 Blanchet, C., 529 Blaudszun, J., 309, 1057 Block, G., 329 Boeglin, W.E., 1155 Boehm, G., 211 Brash, A.R., 1155 Bremer, J., 49 Brenna, J.T., 89, 355 Briancon, S., 335 Brunken, C., 309, 1057 Bryan, D.-L., 1007 Bütikofer, U., 581 Butovich, I.A., 249 Bychek, E.A., 599 Byrdwell, W.C., 383

C

Cahu, C.L., 609 Cai, Z.-I., 287 Callister, R., 433 Carballeira, N.M., 1063 Castelli, F., 729 Cenedella, R.J., 635 Ceruti, M., 729, 1257 Chacra, A.P.M., 737 Chang, H., 955 Chanussot, F., 59 Chapman, K.D., 773 Chardigny, J.M., 137, 295, 799 Chatgilialoglu, C., 661 Chen, L., 1013 Chen, P.-R., 955 Chen, T.-Y., 1171 Cheng, L., 839 Cherian, G., 131 Chiba, H., 515 Chini, L., 661 Choo, Y.M., 429, 523 Christiansen, L., 181 Christodoulou, S., 97 Chuah, C.H., 423, 429 Clandinin, M.T., 1141, 1207 Cleland, L.G., 995 Clifford, A.J., 1069 Coelho, D.S.C., 317 Collins, X.H., 1013 Collison, L.W., 81, 787 Collison, R.E., 81 Collomb, M., 581 Connelly, P.W., 169 Connor, W.E., 919 Corl, B.A., 509 Coronado-Gray, A., 495 Covey, D.F., 635 Craigen, W.J., 287 Cunnane, S.C., 169 Czernichow, S., 335

D

Dallimore, J.A., 69, 925 Dannenberger, D., 589 de Alaniz, M.J.T., 999 de Castro-Chaves, C., 1125 de la Fuente, M.A., 445 De La Torre, A., 295 de Moura, F.F., 1069 del Castillo, A., 1237 Delaporte, M., 931 Delgado-Lista, J., 471 Dellonte, S., 661 Delmonte, P., 89, 509 Dembitsky, V.M., 219, 535, 641, 869, 1081 Demmelmair, H., 807 Demonty, I., 175, 695 Descomps, B., 1125 Deutsch, J., 1149 Dewailly, É., 529 Dick, J.R., 703 Dickson, C.A., 13 Dietrich, M., 329 Dobson, G.A., 599 Dodds, E.D., 419 Doherty, J.D., 685 Domingo, N., 59 Dreon, M.S., 487 Drozdowski, L.A., 1141 Durand, D., 295, 1245

E

Eberhard, P., 581 Ebine, N., 175, 695 Ender, K., 589 Esaka, M., 901 Etherton, T.D., 1193

F

Fairuz, A.H., 575 Fanizzi, F.P., 1051 Fasoli, E., 969 Favier, A., 335 Fernandez-Puebla, R.A., 471 Ferreri, C., 661 Folkers, G., 581 Fontecha, J., 445 Forster, R.J., 1043 Forsyth, K., 1007 Freire, C.S.R., 317 Frohlich, J., 919 Frohman, M.A., 1135 Frøkiær, H., 669 Frøyland, L., 39 Fruekilde, M.-B., 669 Fuentes, F., 471 Fujikawa, R., 901 Fujikawa, Y., 901

Furukawa-Stoffer, T.L., 1043 Fushiki, T., 265

G

Galan, P., 335 Gapor, M.T., 575 Garcés, R., 369 Garg, M.L., 433 Garrido, A., 259 Gavilan, E., 471 Gebauer, S.K., 1193 Geppert, J., 807 Gerhard, G., 919 Gerken, B., 323 Getachew, G., 1069 Gibson, R., 995, 1007 Gibson, R.A., 1, 631 Gil, G., 1237 Gingras, S., 529 Gisbert, E., 609 Givens, D.I., 121 Gjøen, T., 477 Goeger, M.P., 131 Golovko, M.Y., 287 González, F.A., 1063 Gøttsche, J.R., 1273 Granlund, L., 49 Gregoire, S., 137 Griel, A.E., 1193 Griinari, J.M., 823 Grogan, W.M., 31 Gruffat, D., 295, 1245 Guerrero-Bosagna, C., 259 Guesnet, P., 719 Guo, W., 815 Guschina, I.A., 599

н

Hachey, D.L., 1155 Hall, E.A., 1237 Hamberg, M., 249, 1163 Hamilton, J.A., 815 Hansen, C.H., 677 Haramizu, S., 265 Harris, W.S., 343 Harry-O'kuru, R.E., 1179 Hart, P., 1007 Harwood, J.L., 599 Hashim, M.A., 429 Hawkes, J.S., 631 Heras, H., 487 Hercberg, S., 335 Hertz, R., 559 Hickenbottom, S., 1069 Hirano, K., 155 Hirose, S., 361 Hirsch, S., 259 Ho, C.C., 1069 Hoffmann, K., 309, 1057 Holmeide, A.K., 49 Hong, J., 981 Höpker, W.-W., 309, 1057 Hostetler, H.A., 559 Hou, M.J., 455 Hovda, J.T., 287 Høy, C.-E., 677 Hu, J., 839 Hu, Y., 329 Huang, H., 559 Hudes, M., 329

Hui, S.-P., 515 Huikko, L., 181 Hylemon, P.B., 31, 1237

ı

Igarashi, M., 109 Iijima, N., 901 Ijare, O.B., 1031 Im, K.S., 981 Imbs, A.B., 963 Inohara-Ochiai, M., 25 Ioka, H., 941 Iordache, C., 1141 Ishiyama, K., 833 Itakura, H., 849 Iwamoto, T., 849

I

Jadegoud, Y., 1031 Jakobsen, J.V., 709 James, M.J., 995 Jannet, H.B., 1075 Jaouen, A., 335 Jenkins, D.J.A., 169 Jia, X., 175, 695 Jolly, C.A., 81, 787 Jones, P.J.H., 169, 175, 695 Juanéda, P., 799 Juárez, M., 445 Julien, P., 529 Jung, J.H., 981

K

Kallio, H., 349, 437 Kannel, W.B., 1207 Kánský, J., 273 Kataoka, A., 509 Kaukonen, A.M., 181 Kawakami, Y., 1117 Kawashima, H., 25, 627 Kawashima, Y., 463 Kendall, C.W.C., 169 Kennish, J.M., 419 Keriko, J.M., 941 Kervarec, N., 619 Khan, I.A., 303, 375 Khan, S.I., 303, 375 Kier, A.B., 559 Kjær, T.M.R., 669 Koblizek, M., 97 Koletzko, B., 807 Kondo, K., 849 Kose, S., 941 Kraffe, E., 619 Kraft, V., 807 Kramer, J.K.G., 855 Kreuzer, M., 191 Kris-Etherton, P.M., 1193 Krishnan, K., 635 Kudo, N., 463 Kurosawa, T., 515 Kuwahara, S., 147

L

Lai, K.-L., 1107 Lam, H.S., 569 Lampi, A.-M., 181 Langelier, B., 719 Langston, T.B., 31 Laplaud, P.-M., 1245 Lapsley, K.G., 169 Largeau, C., 1263 Larsen, L.N., 49 Lau, H.L.N., 523 Lauritzen, L., 669 Lavarías, S., 487 Lavialle, M., 719 Lawrence, P., 89 Lee, C.-C., 955 Lee, C.-O., 981 Lee, H.-J., 1149 Lei, T., 815 Leiber, F., 191 Lenhart, A., 729 Li, Y., 455 Li, Z., 839 Liau, C.-S., 163 Lim, S.-Y., 685 Lin, D.S., 919 Lin, L.-Y., 163 Ling, W.H., 455 Linke, D., 323 Liu, D., 839 Liu, T.-L., 955 Llanos, M.N., 259 Loewke, J., 685 Lopez-Miranda, J., 471 Loreau, O., 295 Lucas, M., 529 Luna, P., 445 Lyberg, A.-M., 969

M

Ma, A.N., 429, 523 Ma, G., 303, 375 Ma, J., 455 Makrides, M., 1, 631 Malpuech-Brugère, C., 137 Mansoor, T.A., 981 Maoz, D., 1149 Maranhão, R.C., 737 Marchie, A., 169 Marin, C., 471 Marra, C.A., 999 Marshall, K.S., 1043 Martínez-Force, E., 369 Martins, Aléssio, M.L., 1125 Marty, Y., 619 Mason, S., 273 Matsukawa, S., 501 Matsuo, N., 281 McCoy, M.R., 419 Meguro, S., 281 Mennen, L., 335 Mensink, R.P., 137, 909, 1193 Metzger, P., 1263 Michaelsen, K.F., 669 Mighri, Z., 1075 Milla, P., 729, 1257 Milne, G.L., 987 Miner, P., 931 Minihane, A.M., 329 Mir, Z., 1043 Miranda, C., 1063 Mitsumoto, A., 463 Miyahara, K., 833 Miyazawa, T., 109, 147, 1117 Mizunoya, W., 265

Moal, J., 931 Möbius, M., 211 Montpied, P., 59 Moreau, R.A., 773 Morikawa, A., 737 Morin, R., 529 Morishige, J., 155 Morris, M.D., 569 Morrow, J.D., 329, 987 Moschese, V., 661 Moya-Falcón, C., 709 Mu, H., 273, 677, 1273 Murai, T., 515 Murata, S., 25 Murphy, E.J., 81, 287, 787 Murphy, K.J., 355 Musalmah, M., 575 Musiek, E.S., 987 Mustafa, J., 303, 375

N

Nagana Gowda, G.A., 1031 Nagasaka, H., 515 Nakagawa, K., 745, 1117 Nakatani, T., 833 Nakaya, K., 501 Nebb, H.I., 49 Neto, C.P., 317 Ng, M.H., 429 Nicolas, J.P., 1023 Nielsen, H.H., 1273 Nielsen, N.S., 1273 Nigg, D., 191 Nizrana, M.Y., 575 Noda, N., 833 Noisette, N., 335 NoorAini, A.H., 575 Ntambi, J.M., 1187 Nuernberg, G., 589 Nuernberg, K., 589 Nyalala, J., 569

0

Ohmori, R., 849 Ohnishi, M., 361 Ohshima, T., 203, 501 Okabe, Y., 265 Olano, E., 329 Oliaro-Bosso, S., 1257 Orellano, E.A., 1063 Osaki, N., 281 Osako, K., 941 Oueslati, M.H., 1075

p

Packer, L., 329 Page, E.K., 1043 Pan, B.S., 1171 Pandak, W.M., 1237 Paniagua, J.A., 471 Papadia, P., 1051 Pappu, A.S., 919 Parlar, H., 323 Patten, G.S., 69, 925 Pedler, J., 995 Perez-Jimenez, F., 471 Perez-Martinez, P., 471 Perfield, J.W., II, 89 Perruchot, M.-H., 719 Petit, P., 59 Petrescu, A.D., 559 Piironen, V., 181 Plat, J., 909 Pollero, R.J., 487 Porsgaard, T., 273, 677 Porter, N.A., 1155 Portugal, H., 59 Proctor, A., 569 Psota, T.L., 1193 Puah, C.W., 523 PUFA Study Group, 1

Q

Qiao, W., 839 Quazuguel, P., 609 Quéré, C., 931

R

Rådmark, O., 249 Raeini-Sarjaz, M., 169 Ramakers, J.D., 909 Rapoport, S.I., 1149 Rea, L.D., 419 Redford, K., 1237 Reid, K.J., 343 Ren, S., 1237 Rimbach, G., 329 Rist, L., 581 Rocco, F., 729, 1257 Rodkina, S.A., 963 Rodriguez Souza, J.C., 941 Rogers, P.F., 69 Ronco, A.M., 259 Rontani, J.-F., 97 Rosito, I., 1051 Rossi, P., 661 Roussel, A.-M., 335 Ruyter, B., 477, 709 Rymer, C., 121

S

Sæbø, A., 89, 823 Sæbø, P.-C., 823 Saito, H., 941 Sakuradani, E., 25 Salem, N., Jr., 685 Samain, J.-F., 931 Sampath, H., 1187 Sanders, T.A.B., 1221 Sands, S.A., 343 Santiago, R.C., 1125 Santos, N.M., 317 Santos, R.D., 737 Satouchi, K., 155 Scheeder, M.R.L., 191 Schmitt, J.J., 211 Schneider, C., 1155 Schroeder, F., 559 Schultz, G.E., 729 Scislowski, V., 1245 Scollan, N., 589 Sébédio, J.L., 137, 799, 909 Seguineau, C., 931 Seike, Y., 941 Senft, M., 59 Serrano-Vega, M.J., 369 Sexton, P.S., 635 Shiao, M.-S., 1171 Shibakusa, T., 265 Shimasaki, H., 281 Shimizu, M., 501 Shimizu, S., 25 Shingfield, K.J., 823 Sieber, R., 581 Silvestre, A.J.D., 317 Sinclair, A.J., 355 Singh, A.T.K., 1135 Skattebøl, L., 49 Smith, W.G., 569 Soares, A.F., 1125 Sohn, J.-H., 203 Soltani, M., 1263 Somashekar, B.S., 1031 Sørensen, B.M., 1043 Soudant, P., 619, 931 Spiteller, G., 755 Stec, D.F., 1155 Steinhart, H., 309, 589, 1057 Stern, P.H., 1135 Straarup, E.M., 677 Stubhaug, I., 39 Su, T.-C., 163 Suomela, J.-P., 349, 437 Suzuki, Y., 1117

T

Tabatabai, L.B., 1013 Tago, M., 849 Takai, Y., 155 Takashima, A., 941 Takeno, S., 25 Takeo, T., 849 Taki, Y., 203 Tamayo, D., 259 Tanaka, K., 147 Tanaka, M., 941 Tanaka, T., 155 Tang, Z.H., 455 Tauber, R., 309, 1057 Teale, A.J., 13 Thijssen, M.A.M.A., 137 Tholstrup, T., 1229 Thomassen, M.S., 477, 709 Thomson, A.B.R., 1141 Tichet, J., 335 Tocher, D.R., 13 Todd, Z., 1141 Tokimitsu, I., 281 Topping, D.L., 69 Torres-Duarte, A.P., 1107 Torstensen, B.E., 39 Toyama, T., 463 Trautwein, E.A., 169 Tsai, C.E., 955 Tsuzuki, T., 147, 1117

U

Udell, T., 1 Umebayashi, K., 833 Unno, T., 849 Ushio, H., 203, 501

V

van Antwerpen, R., 495 van Zadelhoff, G., 1163 Vanderhoek, J.Y., 1107 Vegusdal, A., 477 Veldink, G.A., 1163 Vidgen, E., 169 Villeneuve, L., 609 Vinagre, C.C., 737 Viola, F., 1257 Visser, T., 1163 Vliegenthart, J.F.G., 1163 von Bonsdorff-Nikander, A., 181 von Mandach, U., 581

W

Wadman, M.W., 1163 Walker, L.A., 303, 375 Wan Ngah, W.Z., 575 Wang, Y., 175 Wanjie, S.W., 773 Watson, T.A., 433 Wechsler, D., 581 Welti, R., 773 Weselake, R.J., 1043 Wettstein, H.-R., 191 White, W.S., 1013 Wild, G., 1141 Wilke, M.S., 1207 Windsor, S.L., 343 Winterling, N., 211 Wolyniak, C.J., 355

X

Xie, W., 815

Y

Yajima, N., 281 Yang, W.-S., 163 Yasui, Y., 361 Yin, H., 987, 1155 Yliruusi, J., 181 Yoshimura, T., 515 Yunoki, K., 361 Yurawecz, M.P., 89, 509

Z

Zambonino-Infante, J.L., 609 Zhan, S., 839 Zhang, J., 1193 Zheng, X., 13 Zhu, H.L., 455 Zorn, H., 323

Subject Index

A

A549 CELLS

respiratory syncytial virus infection of, 1007

ABOMASAL INFUSIONS

effect of, of geometric isomers of 10,12 conjugated linoleic acid on milk fat synthesis in dairy cows, 823

ABSORPTION

intake, sources, digestion, and, of dietary stearic acid and risk of cardiovascular disease, 1193

Acacia

identification of $\Delta 7$ phytosterols and phytosteryl glucosides in wood and bark of several, species, 317

Acinetobacter calcoaceticus

determine influence of aliphatic hydrocarbons on lipid composition of, 1263

ACTIVATED FACTOR VII

increase of, not significantly associated with level of lipemia, 1229

ACTIVITY

biological, of glycosides of aromatic metabolites, 869

biological, of marine and terrestrial alkaloid glycosides, 1081

ACYL-COENZYME A

ischemia and heart, metabolism, 1149

ACYL-COENZYME A BINDING PROTEIN

dietary n-3 polyunsaturated fatty acids increase T-lymphocyte phospholipid mass and, expression, 81

ACYL-COENZYME A ELONGASE

and biphasic incorporation of precursor-derived docosahexaenoic acid, 719

ACYL-COENZYME A OXIDASE

essentiality of peroxisomal step demonstrated in studies on human fibroblasts in which gene mutations of peroxisomal, associated with loss of docosahexaenoic acid synthesis capacity, 719

gene expression of, studied by Northern hybridization, 49

ACYLGLYCEROLS

repeatability of developed method for analyzing mixture of free fatty acids, sterols, squalene, and, illustrates its use as fast, quantitative technique for analysis of vegetable oils, 523

ADAPTATION

distal small intestine capable of greater, 1141

ADIPOCYTES

eicosapentaenoic acid, but not oleic acid, stimulates β -oxidation in, 815 ADIPONECTIN

serum, in familial-related severe primary hypercholesterolemia, 163

ADJUSTABLE-CURRENT SWIMMING POOL

used to measure swimming time to exhaustion, for mice, 265

ADOLESCENTS

decreased serum adiponectin in, and young adults with familial primary hypercholesterolemia, 163

AEROBIC PATHWAY

in animals and some microorganisms, desaturation occurs after lipid biosynthesis through, 1263

AEROBIC PHOTOSYNTHETIC BACTERIA

presence of unusual fatty acid has not been reported in phytoplankton or, 97

AGE-RELATED MACULAR DEGENERATION

improvements in visual acuity in, patients after lutein supplementation,

AGING

effects of, and dietary n-3 fatty acids on rat brain phospholipids with focus on plasmalogens, 799

ALGAE

furan fatty acids generated in large amounts in, 755

ALKALOIDS

study of biologically active marine, influenced course of discovery in fields ranging from pharmacology to oncology, 1081

Allophylus

cyanolipid-rich seed oils from, natalensis and, dregeanus,

ALPINE

study on causes for elevated n-3 fatty acids in milk from cows of, origin, 191

AMIDES

fatty acid, commonly used as foaming and wetting agents in hand dishwashing detergents, shampoos, and bar soaps, 641

AMINOGLYCOSIDES

and derivatives, 641

ANAEROBIC PATHWAY

bacteria synthesize unsaturated fatty acids by de novo synthesis through, 1263

ANTHRACENE DERIVATIVES

glycosides of, 869

ANTHRAQUINONES

glycosides of anthracene derivatives, 869

ANTIBIOTICS

macrolides defined and distinguished from other groups of, by unique feature of their chemical structure, 219 many nucleosides are categorized as, 641

ANTIBODY ARRAY

inflammatory signatures in fasting nonstimulated plasma as determined by an, may indicate enhanced immune function by both conjugated linoleic acid isomers, 909

in vitro ANTICANCER ACTIVITY

compounds were tested for their, against a panel of human cancer cell lines, 375

ANTIOBESITY

effect of conjugated eicosapentaenoic acid, 1117

ANTIOXIDANT ENZYMES IN WOUNDS

comparative effects of, of diabetic rats, 575

ANTIOXIDANT SUPPLEMENTATION

alterations of the lipid profile after 7.5 years of low-dose, in the SU.VI.MAX study, 335

ANTIOXIDANT(S)

activity of various teas against free radicals and low density lipoprotein oxidation, 849

endothelial cell function can be influenced by nutrition, especially dietary fatty acids and, 1107

question of whether, have significant effects on fat oxidation, 433

therapy with, in hypercholesterolemic groups with an apolipoprotein E4 genotype may negate in part the increased coronary heart disease risk, 329

used to inhibit low density lipoprotein oxidation in vitro, 1171

ANTIPROLIFERATION

conjugated linoleic acid causes, and induces apoptosis in a large number of cancer cell lines, 1107

Apis mellifera

esters of 10-hydroxy-2-decenoic acid from royal jelly of honeybees, 833

APOLIPOPROTEIN E GENOTYPE

associations between, and circulating ${\rm F}_2\text{-isoprostane}$ levels in humans, 329

APOLIPOPROTEINS

high-fat diets impede lowering effect of cyclosporine A on rat brain lipids and interact with expression of, E and J, 59

APOPTOSIS

comparison of effects of 3β[2-(diethylamino)ethoxy]androst-5-en-17one and enantiomeric 3β[2-(diethylamino)ethoxy]androst-5-en-17-one on sterol synthesis and induction of, 635

conjugated linoleic acid causes antiproliferation and induces, in large number of cancer cell lines, 1107

likely that conjugated eicosapentaenoic acid induces, through lipid peroxidation, 147

overall effect of 4-O-podophyllotoxinyl 12-hydroxyl-octadec-Z-9enoate resulted in cell cycle arrest and, 303

ARACHIDONIC ACID

and docosahexaenoic acid were increased by lead exposure, 685 delivery to oyster spat, 931

isoprostanes formed nonenzymatically as result of free radicalmediated peroxidation of, 987

rate-limiting step for the biosynthesis of, 25

sciadonic acid is polymethylene-interrupted polyunsaturated fatty acid that is present in conifer seeds and accumulates in membrane phosphatidylinositol as a substitute for, 155

ARACHIDONIC ACID METABOLISM

and lipid class distribution of conjugated linoleic acid in renal cell cancer, 1057

and subcellular distribution of conjugated linoleic acid in renal cell carcinoma, 309

ARCHAEAL TETRAETHER

molecular dynamics of, lipid membrane, 1023

AROMA

increase in, compounds by low-temperature fermentation, 361 AROMATIC

review of biologically active glycosides of, metabolites, 869 ASCORBIC ACID

esterification of plant stanols with, a water-soluble compound, increases cholesterol-lowering efficacy in hamsters fed atherogenic diets, 175

ATLANTIC SALMON

B-oxidation capacity in, 39

dietary rapeseed oil and fatty acid metabolism in, hepatocytes, 709 fatty acid composition of wild and farmed, and rainbow trout, 529 highly unsaturated fatty acid synthesis insights in cloning and characterization of $\Delta 6$ desaturase of, 13

lipid accumulation and secretion by, hepatocytes, 477

ATMOSPHERIC PRESSURE CHEMICAL IONIZATION MASS SPEC-TROMETRY

bottom-up solution to the triacylglycerol lipidome using, 383

ATOPIC ECZEMA/DERMATITIS SYNDROME

trans fatty acids and, and relationship with free radical cis-trans isomerization of membrane lipids, 661

ATOPY

higher n-3 polyunsaturated fatty acid content in breast milk associated with decreased likelihood of, in infants, 669

AUTOXIDATION

significance of using methyl ester derivatives compared with free carboxylate of fatty acid starting materials is mechanistically negligible because both show similar product patterns during, 1155

B

Baicalospongia bacillifera

trans and positional ethylenic bonds in two dominant isomers of eicosapentaenoic acid from freshwater sponge, 963

BANGHAM METHOD

preparation of liposomes by, 839

BARK

identification of $\Delta 7$ phytosterols and phytosteryl glucosides in wood, of several *Acacia* species, 317

BASELINE DIENE CONJUGATION

method used to evaluate oxidation levels of samples, 437

BEEF MUSCLE

effects of feeding pasture vs. concentrate on distribution of conjugated linoleic acid isomers in, 589

BENECOL® MARGARINE

diet and, supplement, 919

BIFUNCTIONAL PROTEIN

eicosapentaenoic acid treatment had no impact on messenger ribonucleic acid levels of L-, 719

BILE ACID SYNTHESIS

increasing sterol 27-hydroxylase activity by increasing enzyme expression led to significant increases in, 1237

BILE ACID(S)

¹H and ¹³C nuclear magnetic resonance characterization and stereochemical assignments of, in aqueous media, 1031

dietary fatty acids regulate cholesterol induction of liver cholesterol 7α -hydrolase expression and, production, 455

BIVALVES

established that, have limited ability to synthesize essential polyunsaturated fatty acids, 931

importance of long-chain polyunsaturated fatty acids in cardiolipin of mollusk, 619

BODY MASS INDEX

impact of age, fish intake, and, on the eicosapentaenoic acid and docosahexaenoic acid content of human erythrocytes, 343

BOLAFORM(S)

exhibit diverse surface activities, 219

isoprenoid ether, amphiphiles, 535

BOVINE

vaccenic acid metabolism in liver of rat and, 295

BRAIN

dietary α -linolenic acid increases, but not heart and liver, docosahexaenoic acid levels, 787

effects of aging and dietary n-3 fatty acids on rat, phospholipids with focus on plasmalogens, 799

kidney, and muscle tissues with elevated total phospholipid mass were characterized by increased mass of ethanolamine glycerophospholipids, choline glycerophospholipids, and phosphatidylserine, 287

BRAIN LIPIDS

high-fat diets impede lowering effect of cyclosporine A on rat, and interact with expression of apolipoproteins E and J, 59

BREAST MILK

investigate effects on, fatty acid composition, n-3 polyunsaturated levels in infant erythrocytes, and development during first year of life, 669

BROILER

when fed similar diets a turkey would have lower docosahexaenoic acid content in edible tissues than a, 121

BROMINATED FATTY ACID

isolation of sodium salt of a new, 981

C

CANOLA OIL

effect of increasing dietary level of, and olive oil to replace capelin oil in Atlantic salmon, 39

CARBAMATE-LINKED

synthesis and characterization of series of, cationic lipids for gene delivery, 839

CARBAMATES

formation of podophyllotoxin fatty acid, 375

CARDIAC

dietary n-3 vegetable oils and, n-3 fatty acids, 995

CARDIOVASCULAR DISEASE

intake, sources, digestion, and absorption of dietary stearic acid and risk of, 1193

CARDIOVASCULAR RISK FACTORS

elevation of fibrinogen may be a pathway by which, exert their effect,

impact of, such as age, body mass index, and fish intake on eicosapentaenoic acid and docosahexaenoic acid content of human erythrocytes, 343

CARNITINE PALMITOYL TRANSFERASE 1

increased β -oxidation by eicosapentaenoic acid associated with increased, activity, 815

CAROTENES

application of supercritical fluid chromatography in quantitative analysis of, vitamin E, sterols, and squalene from palm oil, 429

CAROTENOIDS

comparative study of lipoproteins handling of, 1069

natural norisoprenoids structurally derived from, are widely distributed in plant kingdom, 535

CASPASE

proapoptotic action of conjugated linoleic acid has been shown to involve reactive oxygen species and, activation, 1107

CATECHIN

Fourier transform infrared spectroscopy evaluation of low density lipoprotein oxidation in the presence of quercetin, and α -tocopherol. 569

inhibitory effects of green tea on low density lipoprotein oxidation depended on plasma, levels, 849

CATIONIC LIPIDS

synthesis and characterization of a series of carbamate-linked, for gene delivery, 839

CELL CYCLE

overall effect of 4-*O*-podophyllotoxinyl 12-hydroxyl-octadec-*Z*-9enoate resulted in, arrest and apoptosis, 303

Cellana grata

unusual minor nonmethylene-interrupted fatty acids identified in lipids of gonads from limpets, and *Collisella dorsuosa* using gas chromatography—mass spectrometry, 627

CELLULAR MEMBRANE

specific sn-positions of fatty acids present in pharmacological or dietary lipid applications found to determine incorporation and distribution into body organs and, 211

CERAMIDE(S)

fatty acid amides incorporated into, 641 new, from Rantherium suaveolens, 1075

CHARACTERIZATION

synthesis and, of series of carbamate-linked cationic lipids for gene delivery, 839

CHEESE

changes in milk and, fat composition of ewes fed commercial supplements containing linseed with special reference to conjugated linoleic acid content and isomer composition, 445

CHEMOECOLOGY

and high docosahexaenoic acid level in lipids of *Thunnus tonggol*, 941

CHEMOKINES

production of inflammatory mediators and, by respiratory epithelium in response to infection by respiratory syncytial virus, 1007

maternal diet and, conjugated linoleic acids, 131

CHOLESTEROL

blood, measured by end point spectroscopy, 329

determination of phospholipid, triacylglycerol, and, mass in number of tissues from mice lacking glycerol kinase, 287

overexpression of hepatic neutral cytosolic cholesteryl ester hydrolase in mice increases free, 31

plasma kinetics of free and esterified, in familial hypercholesterolemia: effects of simvastatin, 737

plasma triglycerides and, concentrations measured using standard enzymatic methods, 471

solubilization of, and/or phytosterol in mixed micelles, 181

CHOLESTEROL 7α-HYDROXYLASE

both, and sterol 27-hydroxylase negatively regulated by cholate, 31

CHOLESTEROL 7α-HYDROLASE MESSENGER RIBONUCLEIC ACID cholesterol increases expression of, 455

CHOLESTEROL FATTY ACIDS

and bile acid pool size, 455

CHOLESTEROL HOMEOSTASIS

metabolism of cholesterol to 27-hydroxycholesterol by sterol 27hydroxylase believed to play several roles in maintenance of, 1237

CHOLESTERYL ESTER HYDROLASE

overexpression of hepatic neutral cytosolic, 31

CHOLESTERYL ESTER HYDROPEROXIDE

or triglyceride hydroperoxide used as standards in previous chemiluminescence or fluorimetric methods not well characterized in terms of chemical structures, 515

CHOLESTERYL ESTERASE

time course for, activity, 31

CHOLESTERYL ESTERS

effects of two conjugated linoleic acid isomers on fatty acid compositions of plasma phospholipids, and triacylglycerols, 137

CHYLOMICRONS

and very low density lipoproteins separated from plasma by ultracentrifugation, 437

CINNAMATE ESTER

development of novel, of milkweed oil, 1179

CLADOCERA

Daphnia magna, or water flea, is placed in the order Cladocera, 599 CLOFIBRIC ACID

regulation of palmitoyl-coenzyme A chain elongation by, in liver of Zucker fa/fa rats, 463

Collisella dorsuosa

unusual minor nonmethylene-interrupted fatty acids identified in lipids of gonads from limpets Cellana grata and, using gas chromatography-mass spectrometry, 627

COLON

depressed prostanoid response in spontaneously hypertensive rat ileum, but not, is restored by tissue incorporation of docosahexaenoic acid as active nutrient, 69

COMPLEMENTARY DEOXYRIBONUCLEIC ACID

isolation of salmon desaturase, fragment, 13

CONJUGATED DIENES

kinetics of copper-catalyzed low density lipoprotein oxidation determined by continuous monitoring of production of, in reaction medium, 259

production of, and hydroperoxides, 1245

CONJUGATED EICOSAPENTAENOIC ACID

antitumor activity of, 147

intake of, suppresses lipid accumulation in liver and epididymal adipose tissue in rats, 1117

CONJUGATED FATTY ACID(S)

occur naturally in plant seeds and marine algae, 1117

preparation and fractionation of, 109

seeds and algae containing, 147

CONJUGATED LINOLEIC ACID(S)

and milk fat synthesis, 89

consumption of, and eicosapentaenoic acid alters lipid metabolism,

dietary, increases endurance capacity and fat oxidation in mice during exercise, 265

effect of abomasal infusions of geometric isomers of 10,12, on milk fat synthesis in dairy cows, 823

effects of, on desaturase expression, 137

esterification of, 49

gas chromatography and silver ion high-performance liquid chromatography primary techniques for identifying specific, isomers in foods and biological extracts, 509

in ewes' milk fat, 445

lipid class distribution of fatty acids including conjugated linoleic acids in healthy and cancerous parts of human kidneys, 1057

lymphatic transport in rats of interesterified oils containing, 677 maternal Alpine butter intake increases, content of human milk, 581 maternal diet and chick tissue, 131

natural sources contain only a small amount of, 147

subcellular distribution of, in renal cell cancer, 309

CONJUGATED TRIENE

geometrical isomerism can influence the bioactivity of, fatty acids, 147

CONJUGATED TRIENOIC FATTY ACIDS

and their growth-inhibitory effects on human tumor cells and fibroblasts, 109

CONTRACTION

receptor-independent-induced ileal, 925

CONTROLLED-RELEASE

lecithin is a natural lipid widely used in, medicines, 839

CORONARY HEART DISEASE RISK

not consuming a desirable balance of fatty acids may have effects on an individual's plasma cholesterol levels, platelet aggregation. and, 1207

CORRELATION TIME

calculated based on electron spin resonance simulation, 745

COTTON FIBERS

identification and quantification of glycerolipids in, and reconciliation with metabolic pathway predictions from deoxyribonucleic acid databases, 773

C-REACTIVE PROTEIN

fibrinogen and, determinations may be useful screening tools to identify individuals at added risk for thrombotic complications of cardiovascular disease, 1215

plasma concentrations of, measured, 909

CRUDE ENZYME ISOLATE

lipolysis of different oils using, from the intestinal tract of rainbow trout, Oncorhynchus mykiss, 1273

CRUDE PALM OIL

report of supercritical fluid chromatography separation and quantification of four minor oilseed components from, and palm fiber oil,

CRUSTACEA

group of primarily marine arthropods, 487

CRYOTOLERANCE

among five grapes grown in Hokkaido, order of unsaturation indexes in must was identical to level of, 361

CYANOLIPIDS

oil from two species of Allophylus contained approximately equal amounts of triacylglycerols and, 1051

CYCLIC GUANOSINE 5'-MONOPHOSPHATE

assay to quantify level in cells, 955

CYCLOOXYGENASE-2

elevates in concentration in inflamed tissues, 1171

CYCLOPENTENONE

potent biological actions of reactive, isoprostane, 987

CYCLOSPORINE A

high-fat diets impede lowering effect of, on rat brain lipids and interact with expression of apolipoproteins E and J, 59

CYTOKINES

protein expression patterns of, chemokines and growth factors evaluated with antibody array, 909

CYTOSKELETON

influence of, integrity on fatty acid metabolism, 999

CYTOTOXICITY

measurement of, of compounds against tumor cells, 981 of 2-methylsulfanyl fatty acids, 1063

D

DAIRY COW(S)

effect of abomasal infusions of geometric isomers of 10,12 conjugated linoleic acid on milk fat synthesis in, 823

effect on a, of abomasal infusions of conjugated linoleic acid, 89 study on causes for elevated n-3 fatty acids in milk from, of Alpine origin, 191

Daphnia magna

effect of short-term starvation on lipid metabolism of, 599

DECAPODA

order of, includes all larger and more familiar crustaceans, 487

Δ5 DESATURASE

effects studied on messenger ribonucleic acid expression of $\Delta 9, \Delta 6$, and, and of elongase by peripheral blood mononuclear cells, 137

Δ6 DESATURASE

effects studied on messenger ribonucleic acid expression of $\Delta 9, \Delta 5,$ and, and of elongase by peripheral blood mononuclear cells, 137 expression of, evaluated using quantitative reverse-transcription polymerase chain reaction, 719

highly unsaturated fatty acid synthesis insights in cloning and characterization of, of Atlantic salmon, 13

lower α-linolenic acid intake leads to decreased competition for, activity, 995

Δ9 DESATURASE

effects studied on messenger ribonucleic acid expression of $\Delta 6, \Delta 5,$

and, and of elongase by peripheral blood mononuclear cells, 137

DEVELOPMENT

review and meta-analysis of randomized controlled trials on effect of α-linolenic acid and linoleic acid on growth and, of formula-fed infants, 1

DEXAMETHASONE

lipid malabsorption persists after weaning in rats whose dams were given glucagon-like peptide-2 and, 1141

DIACYLGLYCEROL

metabolites of dietary triacylglycerol and, during the digestion process in rats, 281

study investigates whether phosphatidylinositol having sciadonate could serve as source of, that could activate protein kinase C, 155

DIACYLGLYCEROL ACYLTRANSFERASE

microsomal, activity in developing flaxseed, 1043

DIARYLHEPTANOID

family of natural plant metabolites whose characteristic structural feature is presence of two hydroxylated aromatic rings tethered by linear seven-carbon chain, 219

Dicentrarchus labra:

dietary phospholipids more efficient than neutral lipids for long-chain polyunsaturated fatty acid supply in European sea bass, larval development, 609

DIET

antioxidant-restricted, reduces plasma nonesterified fatty acids in trained athletes, 433

factors other than, that may influence incorporation of eicosapentaenoic acid plus docosahexaenoic acid in red blood cells have not been systematically investigated, 343

impact of, supplemented with α -linolenate on fatty acid composition of ewes' bulk milk fat, 445

DIETARY FATTY ACIDS

and coagulation factors, 1229

average intake of three largest contributors of, 1207

DIETARY LIPID

almost all, was absorbed irrespective of structure of acylglycerol present in small intestine, 281

DIETARY n-3 FATTY ACIDS

effects of aging and, on rat brain phospholipids with focus on plasmalogens, 799

DIETARY PHOSPHOLIPIDS

are more efficient than neutral lipids for long-chain polyunsaturated fatty acid supply in European sea bass *Dicentrarchus labrax* larval development, 609

DIETARY POLYUNSATURATED FATTY ACIDS

ruminal hydrogenation of, decreased their incorporation into lipoparticles, 1245

DIETHER

and tetraether glycolipids, 535

3β-[2-(DIETHYLAMINO)ETHOXY]ANDROST-5-EN-17-ONE

comparison of effects of, and enantiomeric 3B[2-

(diethylamino)ethoxy]androst-5-en-17-one on sterol synthesis and induction of apoptosis, 635

DIFFERENTIAL SCANNING CALORIMETRY

of normal low density lipoprotein and triglyceride-rich low density lipoprotein, 495

DIGESTION

intake, sources, absorption, and, of dietary stearic acid and risk of cardiovascular disease, 1193

DIHYDROSPINASTEROL

showed potent inhibitory effect on Epstein-Barr virus early antigen,

7,17-DIHYDROXY-DOCOSAHEXAENOIC ACID

derivative of fully oxygenated, 249

10,17-DIHYDROXY-DOCOSAHEXAENOIC ACID

found as major metabolite in lipid product mixture, 249

10,20-DIHYDROXY-DOCOSAHEXAENOIC ACID

ability of alcohol to form hydrogen bonds with hydroxyl groups of, 249

DIMERIC MACROCYCLIC GLYCOSIDES

rare group of biologically active compounds produced by some microorganisms and marine sponges, 219

DIMETHYL DISULFIDE ADDUCTS

gas chromatography-mass spectrometry analysis of, 963

DIMETHYLOXAZOLINE DERIVATIVES

unusual minor nonmethylene-interrupted fatty acids identified in lipids of limpet gonads using gas chromatography-mass spectrometry of combination of 4,4-, and picolinyl esters, 627

DIOXYGENASE

important class of enzymes involved in fatty acid metabolism, 1163

DIPALMITOYLPHOSPHATIDYLCHOLINE LIPID BILAYER

molecular dynamics study of archaeal tetraether lipid membrane and comparison with, 1023

1,1-DIPHENYL-2-PICRYLHYDRAZYL RADICAL

inhibitory effects of, radicals and low density lipoprotein oxidation found to be strongest in extract of green tea and weakest in barley tea, 849

DOCOSAHEXAENOIC ACID

and eicosapentaenoic acid-enriched cardiolipin in the Manila clam Ruditapes philippinarum, 619

arachidonic acid and, were increased by lead exposure, 685

biphasic incorporation of precursor-derived, 719 dietary α -linolenic acid increases brain but not heart and liver, levels, 787 findings suggest α -linoleic acid-supplemented diets improve, status of

infants, 1 fish oil diet with high, as most likely active nutrient restored depressed prostanoid effect in ileal but not colonic tissue, 69

flax embryos import eicosapentaenoic acid and, 1043

high, level in lipids of Thunnus tonggol, 941

lipid class distribution of newly synthesized, 703

lipoxygenase from potato tuber has been shown to catalyze aerobic formation of at least four major oxygenated derivatives of, 249 monitoring oxidation of, in lipids, 969

randomized trial shows that, supplementation in vegetarians effectively increased n-3 index, 807

regarded as key n-3 fatty acid for cardiomyocyte membrane stability,

supplementing birds' diets with relatively high concentrations of, results in increased concentration in tissues, 121

DOUBLE-QUANTUM FILTERED HOMONUCLEAR CORRELATION SPECTROSCOPY

tentative assignments of all cross peaks in each, spectrum were made, 1031

DOWNSTREAM PROCESS

and foam fractionation of exo-lipases from growing fungus, Pleurotus sapidus, 323

DROPLET SIZE

effects of, on oxidative stability of oil-in-water emulsions, 501

DYNAMICS

experimental evidence resulted in quantitative understanding regarding probe, as well as properties of mixed membranes, 745

E

EICOSAHEXAENOIC ACID

docosahexaenoic acid-enriched and, -enriched cardiolipin in the Manila clam Ruditapes philippinarum, 619

EICOSAPENTAENOIC ACID

and fatty acid oxidation in adipocytes, 815

concentration of, in both white and dark meat increased when birds' diet is supplemented, 121

echium may prove to be useful oil for elevating, and docosapentaenoic acid, 995

flax embryos import, and docosahexaenoic acid, 1043

trans and positional ethylenic bonds in two dominant isomers of, from freshwater sponge, 963

EICOSENOIC ACIDS

used as reference compounds for gas chromatography and gas chromatography-mass spectrometry analyses, 1051

ELECTRON IMPACT IONIZATION

of less common fatty acid derivatives yields fragments of diagnostic value, 419

ELECTRON MICROSCOPY

recent cryo-, studies suggest that low density lipoprotein has oblate ellipsoid or discoid shape when core is in liquid-crystalline state, 495

ELECTRON SPIN RESONANCE

investigation of small spin probes in aqueous and vesicle phases of mixed membranes made from poly(oxyethylene) hydrogenated castor oil and hexadecane, 745

ELECTROSPRAY

sn-position determination of phospholipid-linked fatty acids derived from erythrocytes by liquid chromatography, ionization ion-trap mass spectrometry, 211

ELECTROSPRAY IONIZATION

analysis of oxidized tissue lipids used approach based on thin-layer chromatography and high-performance liquid chromatography-, -mass spectrometry, 349

high-performance liquid chromatography-, -mass spectrometry applied to analysis of oxidized triacylglycerol molecules, 437

ELONGASE

effects studied on messenger ribonucleic acid expression of Δ9, Δ6, and Δ5 desaturases and of, by peripheral blood mononuclear cells. 137

EMULSIFIER

molecules located at the interface between oil and water phases may influence mobility of triacylglycerol molecules existing in the oil phase, 501

ENANTIOMERIC 3β-[2-(DIETHYLAMINO)ETHOXY]ANDROST-5-EN-17-ONE

comparison of effects of 3β[2-(diethylamino)ethoxy]androst-5-en-17one and, on sterol synthesis and induction of apoptosis, 635

ENDOTHELIAL CELLS

antiproliferative and proapoptotic effects of 9-trans,11-trans conjugated linoleic acid on bovine, 1107

homocysteine alters vasoactive properties of cultured, by impairing production or bioavailability of some cellular mediators, 259

ENDOTHELIAL NITRIC OXIDE SYNTHASE

expression and activity of, 955

ENDURANCE CAPACITY

dietary conjugated linoleic acid increases, and fat oxidation in mice during exercise, 265

ENERGY METABOLISM

effects of dietary conjugated linoleic acid on endurance capacity and, during exercise in mice, 265

ERYTHROCYTES

sn-position determination of phospholipid-linked fatty acids derived from, by liquid chromatography electrospray ionization ion-trap mass spectrometry, 211

ESSENTIAL FATTY ACID

and novel oxylipins in Agaricus bisporus, 1163

biochemical, functional, and histochemical effects of, deficiency in rat kidney, 1125

ESTERIFICATION

of secondary polyhydroxy functionalities of triacylglycerol derivatives of milkweed oil, 1179

EUROPEAN SEA BASS LARVAE

dietary phospholipids vs. neutral lipids in, 609

EWES

changes in milk and cheese fat composition of, fed commercial supplements containing linseed with special reference to conjugated linoleic acid content and isomer composition, 445

EXERCISE

dietary conjugated linoleic acid increases endurance capacity and fat oxidation in mice during, 265

question of whether reduction in plasma nonesterified fatty acid concentration has potential to reduce use of fatty acids as fuel for,

EXTRACTIVES

gas chromatography-mass spectrometry chromatograms of bark lipophilic, were much more complex than those observed for corresponding wood extracts, 317

F

FACTOR VII

decreased postprandial activation of, 1221

FACTOR VII COAGULANT ACTIVITY

elevated, may raise risk of coronary thrombosis in the event of plaque rupture, 1229

FACTOR VII PROTEIN CONCENTRATION

assessed by enzyme-linked immunosorbent assay, 1229

FARMED AND WILD FISH

fatty acid composition of, 529

FAT ABSORPTION

and diet and triacylglycerol hydroperoxides in pigs, 349

intramolecular triacylglycerol structures play important roles in, 677 FAT METABOLISM

FAI METABOLISM

subtle differences in genes directly or indirectly involved in, 1207

FAT OXIDATION

dietary conjugated linoleic acid increases endurance capacity and, in mice during exercise, 265

FATS

rapid method for quantification of fatty acids in, and oils with emphasis on trans fatty acids using Fourier transform near infrared spectroscopy, 855

FATTY ACID-BINDING PROTEINS

mechanism for decline in lipid uptake with dexamethasone and glucagon-like peptide-2 could not be explained by alterations in abundance of two cytosolic, 1141

FATTY ACID CONVERSION

labeled fatty acid incorporation and, 999

n-3 FATTY ACID DEFICIENCY

lead exposure and, led to behavioral deficits and produced additive effects. 685

FATTY ACID ELONGASE

molecular evidence that rate-limiting step for biosynthesis of arachidonic acid in *Mortierella alpina* is at level of a, 25

FATTY ACID ETHYL ESTER

fatty acids in must prepared from 11 grapes grown in Japan and comparison with wine and effect on, formation, 361

FATTY ACID HYDROPEROXIDE

hematin shown to induce rearrangement of, into epoxyalcohols and other hydroxy and keto derivatives, 1155

FATTY ACID INCORPORATION

labeled, and fatty acid conversion, 999

FATTY ACID METABOLISM

dietary rapeseed oil and, in salmon hepatocytes, 709

FATTY ACID METHYL ESTER QUANTIFICATION

assess utility of gas chromatography-mass spectrometry methods for, 419

FATTY ACID(S)

ability to desaturate saturated, occurs typically in mycobacteria and corynebacteria, 1263

amides commonly used as foaming and wetting agents in hand dishwashing detergents, shampoos, and bar soaps, 641

antioxidant-restricted diet reduces plasma nonesterified, in trained athletes, 433

careful analysis of, chemical structures in Lake Baikal sponges, 963 effect of water-soluble fraction of crude oil on lipid contents, lipid classes, phosphatidylcholine molecular species, and, studied in high-phospholipid and low-phospholipid tissues of a freshwater crustacean. 487

effects of short maternal supplementation with conjugated linoleic acid-rich Alpine butter on occurrence of, and conjugated linoleic acid isomers in human milk, 581

fish oil dose on ileal, and contractility, 925

gas chromatographic-mass spectrometric structural characterization of, from marine aerobic anoxygenic phototrophic bacteria, 97

hepatocyte nuclear factor-4α and peroxisome proliferator-activated receptor-α bind coenzyme A thioesters of long-chain, in *in vitro* binding assays, 559

hybrid macrocyclic glycosides are usually, macrolactones or their derivatives bearing one or more sugars and produced by microorganisms, lower invertebrates, microalgae, fungi, and/or plant species, 219

identification of nonmethylene-interrupted, in limpets, 627

identification of, in *Daphnia magna* made by comparison with standards using gas-liquid chromatography on a capillary column, 599

immediate no-flow ischemia decreases rat heart nonesterified, and increases acyl-coenzyme A species concentrations, 1149

lead effects on maternal, composition 685

mechanism for decline in lipid uptake with dexamethasone and glucagon-like peptide-2 could not be explained by alterations in abundance of two cytosolic, 1141

profile of, did not change during cheese making, 445

red blood cell total, analyses used instead of analyses of red blood cell lipid fractions to assess essential fatty acid status, 807

results show that farmed salmonids provide high levels of n-3 highly unsaturated, to consumers, 529

n-3 FATTY ACID(S)

changes of transcriptional and fatty acid profiles in response to, in SSY5Y, cells, 719

dietary n-3 vegetable oils and cardiac, 995

enrichment of edible tissue of poultry with, 121

given importance of, in influencing risk for death from coronary heart disease, further studies are warranted to delineate nondietary factors that influence red blood cell eicosapentaenoic acid plus docosahexaenoic acid content, 343

in a lipid extract from New Zealand green-lipped mussel, 355

health benefits of long-chain, 529

relative changes in plasma phospholipids correlated best with red blood cell phosphatidylcholine for all tested n-6 and, with exception of $\alpha\text{-linolenic}$ acid, 807

study on causes for elevated, in milk from cows of Alpine origin, 191

trans FATTY ACID(S)

and atopic eczema/dermatitis syndrome and relationship with free radical cis-trans isomerization of membrane lipids, 661

first major study in humans to definitively show that, were detrimental to plasma cholesterol profiles was in 1990, 1207

FATTY ACYL COENZYME A

stability of, 559

FATTY ACYL-COENZYME A LIGASE

eicosapentaenoic acid treatment resulted in time-dependent increase of, messenger ribonucleic acid, 719

FATTY PODOPHYLLOTOXIN

anticancer activity of, 303

FERULATES

and development of novel cinnamate esters of milkweed oil, 1179 FIBRINOGEN

elevation of, may be a pathway by which cardiovascular risk factors exert their effect, 1215

increase in fibrinogen not accompanied by increase in plasma C-reactive protein, 1229

FIBRINOLYSIS

counterbalancing process of, 1215

effect of stearic acid-rich test meals on, 1221

FISH

impact of age, body mass index, and, intake on eicosapentaenoic acid and docosahexaenoic acid content of human erythrocytes, 343 furan fatty acids and cardioprotective effects of, diet, 755

FISH OIL DOSE

on ileal fatty acids and contractility, 925

FISH OIL(S)

esters of phytosterols and plasma lipids, 695

expression of $\Delta 6$ and $\Delta 5$ acyl desaturase genes in intestine, liver, red muscle, and adipose tissue higher in salmon fed diet containing vegetable oil than in those fed, 13

individuals reporting consumption of, as supplements were excluded from study, 343

FLAME IONIZATION DETECTION

gas chromatographic quantification of fatty acid methyl esters, vs. electron impact mass spectrometry, 419

FLOW INJECTION

quantitative determination of total lipid hydroperoxides by a, analysis system, 203

FLUORESCENCE

flow injection analysis system coupled with, detection system was developed as highly sensitive and reproducible quantitative method of total lipid hydroperoxide analysis, 203

FLUORINATION

and functionalized fatty podophyllotoxins as anticancer agents, 375

FOAM FRACTIONATION

of exo-lipases from growing fungus, Pleurotus sapidus, 323

FOURIER TRANSFORM INFRARED SPECTROSCOPY

of low density lipoprotein oxidation, 569

FOURIER TRANSFORM NEAR INFRARED SPECTROSCOPY

rapid method for quantification of fatty acids in fats and oils with emphasis on trans fatty acids using, 855

FREE FATTY ACID(S)

acylglycerol and, levels were considerably lower in small intestine than in stomach, 281

simultaneous quantification of, 523

FREE RADICAL

trans fatty acids and atopic eczema/dermatitis syndrome: relationship with, cis-trans isomerization of membrane lipids, 661

FUNCTIONALIZED FATTY ACID

eight unusually, derivatives of podophyllotoxin were synthesized and spectroscopic data established their chemical structures, 375

FUNGAL BIOSYNTHESIS

and novel oxylipins in Agaricus bisporus, 1163

FURAN FATTY ACIDS

occurrence, synthesis, and reactions of, 755

G

GANGLIOSIDES

are antigenic and participate in the pathogenesis of certain autoimmune diseases. 641

GAS CHROMATOGRAPHY

quantitative models based on incorporating accurate, data of different fats and oils and Fourier transform near infrared spectroscopy spectral information into a calibration model using chemometric analysis, 855

structural investigation of oil components accomplished using, 1051 and silver ion high-performance liquid chromatography primary techniques for identifying specific conjugated linoleic acid isomers in foods and biological extracts, 509

simultaneous quantification of palm oil components by, –flame ionization detection, 523

GAS CHROMATOGRAPHY-MASS SPECTROMETRY

assess utility of, methods for fatty acid methyl ester quantification, 419 lipids fractions of wood and bark samples from four Acacia species were isolated and sterols were identified and quantified by, 317 of marine aerobic anoxygenic phototrophic bacterial fatty acids, 97 structure of two new compounds deduced from, and detailed nuclear magnetic resonance data, 963

GENE DELIVERY

synthesis and characterization of a series of a carbamate-linked cationic lipids for, 839

GENE-DIET INTERACTION

in lipid metabolism-related genes, 471

GENES

expression of $\Delta 6$ and $\Delta 5$ acyl desaturase, in intestine, liver, red muscle, and adipose tissue higher in salmon fed a diet containing vegetable oil than in those fed fish oil, 13

GENETIC MANIPULATION

first report that, led to increase in arachidonic acid by industrial oleaginous strain, Mortierella alpina, 25

GLUCAGON-LIKE PEPTIDE-2

lipid malabsorption persists after weaning in rats whose dams were given, and dexamethasone, 1141

GLYCERIDES

and new fatty acid derivatives from *Homaxinella* sp., a marine sponge, 981

GLYCEROLIPIDS

identification and quantification of, in cotton fibers and reconciliation with metabolic pathway predictions from deoxyribonucleic acid databases. 773

GLYCOLIPIDS

carotenoid glycosides and isoprenoid, 535

GLYCOSIDES

biologically active marine and terrestrial alkaloid, 1081 carotenoid, and isoprenoid glycolipids, 535

fatty acid amide, their analogs and derivatives, 641

review of biologically active, of aromatic metabolites, 869

review of polyether glycosidic ionophores and macrocyclic, 219 GLYCOSYLAMINES

nucleosides are, made by attaching a nucleobase to a ribose ring,

GRAPES

fatty acids in must prepared from 11, grown in Japan, and comparison with wine and effect on fatty acid ethyl ester formation, 361

GREEN FLUORESCENT PROTEIN

used to assess transformation efficiency for heterologous gene expression, 25

GROWTH

review and meta-analysis of randomized controlled trials on effect of α-linolenic acid and linoleic acid on, and development of formula-fed infants, 1

GROWTH-INHIBITORY EFFECT

preparation and fractionation of conjugated trienes from α-linolenic acid and their, on human tumor cells and fibroblasts, 109

GUANIDINE

glycoside derivatives, 641

Н

HAMSTER(S)

effects of a water-soluble phytostanol ester on plasma cholesterol levels and red blood cell fragility in, 175

fish oil fatty acid esters of phytosterols alter plasma lipids but not red blood cell fragility in, 695

HEART

dietary α-linolenic acid increases brain but not, and liver docosahexaenoic acid levels, 787

effects of feeding pasture vs. concentrate on distribution of conjugated linoleic acid isomers in lipids of *longissimus* and *semitendinosus* muscle, liver, heart muscle, and subcutaneous fat in beef bulls, 589

ischemia and, acyl-coenzyme A metabolism, 1149

under conditions of glycerol kinase deficiency, glycerol-3-phosphate and lipid production is maintained *via* alternative biosynthesis including glycolysis, glyceroneogenesis, or by direct acylation of glycerol in brain, muscle, kidney, and liver, but not in, 287

Helianthus annuus

lipids in highly saturated sunflower, lines, 369

HEMOSTASIS

stearic acid and, 1229

HEP G2 CELLS

microtubular integrity differentially modifies saturated and unsaturated fatty acid metabolism in cultured, 999

HEPATIC GLUCOSE UPTAKE

effects of clofibric acid treatment on, in vivo, 463

HEPATOCYTE NUCLEAR FACTOR 4α

stability of fatty acyl-coenzyme A thioester ligands of, and peroxisome proliferator-activated receptor-α, 559

HEPATOCYTES

dietary rapeseed oil and fatty acid metabolism in, of Atlantic salmon,

lipid accumulation and secretion by Atlantic salmon, 477

HETERONUCLEAR MULTIPLE-BOND CORRELATION

each proton in, spectra showed cross peaks to carbons that were up to three bonds away, 1031

HEXANAL

developed from soybean oil triacylglycerol oil-in-water emulsions with smaller droplet size showed significantly lower residual oxygen contents than those of larger droplet size emulsions, 501

HIGH-FAT DIETS

alter brain responses to cyclosporine, 59

HIGHLY MIGRATORY FISH

high docosahexaenoic acid levels in both neutral and polar lipids of,

HIGHLY SATURATED

lipids in, sunflower lines, 369

HIGHLY UNSATURATED FATTY ACIDS

cloning and characterization of synthesis of, in $\Delta 6$ desaturase of Atlantic salmon, 13

HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY

analysis of oxidized tissue lipids used an approach based on thin-layer chromatography and, -electrospray ionization-mass spectrometry, 349

cardiolipin isolated by, and chemical structure characterized using nuclear magnetic resonance spectroscopy, 619

 -electrospray ionization-mass spectrometry applied to analysis of oxidized triacylglycerol molecules, 437

improved, assay for lipid peroxides in human plasma using internal standard of hydroperoxide, 515

isolation of acids as their methyl ester derivatives accomplished with use of a combination of silver-ion column chromatography and, 963

HOCK CLEAVAGE

both mechanisms entail, of the suitable dihydroperoxide leading to two aldehyde fragments, 1155

HONEYBEES

esters of 10-hydroxy-2-decenoic acid from royal jelly of, (Apis mellifera), 833

HOPANOID BIOSYNTHESIS INHIBITION

and inhibition of squalene-hopene cyclase mutants, 729

HUMAN CANCER CELL LINES

compounds were tested for their in vitro anticancer activity against a panel of, 375

HUMAN LEUKEMIA CELL LINES

synthesis of a novel series of two methylsulfanyl fatty acids and their toxicity on two, 1063

HUMAN MILK

maternal Alpine butter intake increases conjugated linoleic acid content of, 581

nucleotides in, are thought to play important role in aspects of cellular function and metabolism, 631

HUMAN PLASMA

improved high-performance liquid chromatography assay for lipid peroxides in, using internal standard of hydroperoxide, 515

HUMAN TISSUE

determination of lipid distribution in healthy and cancerous, very diffi-

amount of conjugated linoleic acid stored in, may be too low to induce any protective effect on tumor development, 309

HUMANS

effects of stearic acid on plasma lipid and lipoproteins in, 1201

HYBRID MACROCYCLIC GLYCOSIDES

are usually fatty acid macrolactones or their derivatives bearing one or more sugars and produced by microorganisms, lower invertebrates, microalgae, fungi, and/or plant species, 219

HYDRAZINE REDUCTION

of methyl esters, 963

HYDROCARBON(S)

effect of, on fatty acid composition of phospholipids in several hydrocarbon-degrading bacteria, 1263

effect of, on shrimp lipids and phosphatidylcholine molecular species, 487

HYDROGENATED CASTOR OIL

electron spin resonance investigation of small spin probes in aqueous and vesicle phases of mixed membranes made from poly(oxyethylene), and hexadecane, 745

HYDROGENATION

gas-liquid chromatography and nuclear magnetic resonance spectra of aliquots taken at different time periods monitor progress of the reaction and show time required for complete, 375

HYDROPEROXIDE(S)

determination of, contents in oil-in-water emulsions, 501 quantitative determination of total lipid, by a flow injection analysis system, 203

10-HYDROPEROXY-DOCOSAHEXAENOIC ACID

and novel oxylipins, 249

HYDROPHILIC

plasma cholesterol and, phytostanols, 175

HYDROXY ACIDS

main properties of fatty acids from unbound lipids and, 1263

9-HYDROXY-2*E*-DECENOIC ACID

exists as mixture of optical isomers, 833

10-HYDROXY-2E-DECENOIC ACID ESTER

from royal jelly of honeybees, 833

10-HYDROXY-2E-DECENOIC ACID PHOSPHATE structure of, 833

trans-4-HYDROXY-3-METHOXYCINNAMIC (FERULIC) ACID synthesis and characterization of, esters of milkweed oil, 1179

3-HYDROXY-3-METHYLGLUTARYL-COENZYME A REDUCTASE overexpression of hepatic neutral cytosolic cholesteryl ester hydrolase in mice increases free cholesterol and reduces expression of, 31 quantification of, messenger ribonucleic acid levels, 1237

27-HYDROXYCHOLESTEROL

metabolism of cholesterol to, by sterol 27-hydroxylase believed to play several roles in maintenance of cholesterol homeostasis, 1237

10-HYDROXY-DOCOSAHEXAENOIC ACID

determination whether, had been formed as single optical isomer, 249

4-HYDROXYNONENAL

formation of, 1155

HYPERABSORPTION

sitostanol may be helpful in therapy of hypercholesterolemic patients and in sitosterolemia in which, of all sterols occurs, 919

HYPERCHOLESTEROLEMIA

plasma kinetics of free and esterified cholesterol in familial, 737

HYPERTENSIVE RATS

restoration of depressed prostanoid-induced ileal contraction in spontaneously, by dietary fish oil, 69

ı

ILEAL CONTRACTILITY

alterations in voltage- and isoprostane-induced sensitivity changes in, measurements, 69

ILEUM

contractility of rat, 925

IMMUNOMODULATION

and early n-3 long-chain polyunsaturated fatty acid intake, 669 INFANT FORMULA

review and meta-analysis of randomized controlled trials on effect of α-linolenic acid and linoleic acid supplementation in infant formula. I

study to investigate effect of term, supplemented with nucleotides as marketed in Australia and Europe on erythrocyte phospholipid long-chain polyunsaturated fatty acid status in comparison with unsupplemented formula, 631

INFLAMMATION

changes in, parameters, 909

INFLAMMATORY MARKERS

most hemostatic factors are intercorrelated with, and low density lipoprotein cholesterol, 1215

INSULIN RESISTANCE

mechanism of hypoadiponectinemia in patients with familial-related severe primary hypercholesterolemia is probably independent of, 163

INTAKE

sources, digestion, absorption, and, of dietary stearic acid and risk of cardiovascular disease, 1193

IODOACETAMIDE DERIVATIVES

synthesis and biological activity of new, on mutants of squalenehopene cyclase, 729

IODOMETRY

and quantitative determination of total lipid hydroperoxides by a flow injection analysis system, 203

ION TRAP MASS SPECTROMETRY

quantification of fatty acid methyl esters used both, and quadrupole mass spectrometry systems, 419

sn-position determination of phospholipid-linked fatty acids derived from erythrocytes by liquid chromatography electrospray ionization, 211

IONOPHORES

review of polyether glycosidic, and macrocyclic glycosides, 219 ISCHEMIA

and heart acyl-coenzyme A metabolism, 1149

ISOMERIZATION

trans fatty acids and atopic eczema/dermatitis syndrome: relationship with free radical cis-trans, of membrane lipids, 661

ISOMERS

effect of pasture vs. concentrate diet on distribution of conjugated linoleic acid, in different tissue lipids of beef cattle, 589

effects of several conjugated linoleic acid, on endothelial cell proliferation, 1107

effects of specific conjugated linoleic acid, on plasma fatty acid profile and expression of desaturases in humans, 137

trans ISOMERS

natural, of eicosapentaenoic acid found in very small amounts, 963 ISOPROSTANE

recent advances in biochemistry and clinical relevance of, pathway, 987 F₂-ISOPROSTANES

apolipoprotein E genotype and, 329

ISOTOPE RATIO MASS SPECTROMETRY

use of high-precision gas chromatography-combustion interfaced-, as a high-sensitivity approach to investigate lutein as a potential physiological ligand for transthyretin in human plasma, 1013

1

JUNIPERONIC ACID

exists widely in coniferous plants, 155

K

KIDNEY

biochemical, functional, and histochemical effects of essential fatty acid deficiency in rat, 1125

brain, and muscle tissues with elevated total phospholipid mass were characterized by increased mass of ethanolamine glycerophospholipids, choline glycerophospholipids, and phosphatidylserine, 287

KIDNEY FUNCTION AND STRUCTURE

biochemical, functional, and histochemical effects of essential fatty acid deficiency in rat, 1125

L

LACTATION

supplementation of conjugated linoleic acid during, 89 total conjugated linoleic acid and isomer concentrations in human milk depend on maternal diet, stage of, and *de novo* synthesis, 581

LAG TIME

green tea most effective for both prolongation rate of, and oxidation rate, 849

LANOSTEROL SYNTHASE

and analogs of squalene and oxidosqualene inhibit oxidosqualene cyclase of *Trypanosoma cruzi* expressed in *Saccharomyces cere*visiae, 1257

LEAD TOXICITY

and effects on maternal fatty acid composition, 685

LEUKEMIA CELLS

all five conjugated linoleic acid isomers exhibited antiproliferative effects on THP-1, 1107

LIMPET GONADS

identification of nonmethylene-interrupted fatty acids in, 627

LINGUAL LIPASE

diacylglycerol might be more readily digested by, compared with triacylglycerol, 281

LINOLEATE DIOL SYNTHASE

differs from lipoxygenase, 1163

LINOLEIC ACID

biogenetic precursor of the most abundant furan fatty acid is, 755 dihydroperoxides of, are not intermediates in autoxidative pathway, 1155 review and meta-analysis of randomized controlled trials on the effect of α -linolenic acid and, on growth and the development of formula-fed infants, 1

unlike reaction with, potato tuber lipoxygenase-catalyzed oxygenation of docosahexaenoic acid stopped long before fatty acid and molecular oxygen had been depleted, 249

LINOLENIC ACID

and lipid class distribution of newly synthesized docosahexaenoic acid, 703

α-LINOLENIC ACID

and storage lipid accumulation in flax, 1043

concentration of, in edible tissues of poultry is increased when diet is supplemented, 121

dietary, increases brain but not heart and liver docosahexaenoic acid levels, 787

preparation and fractionation of conjugated trienes from, 109

results of study support the idea that dietary, acid could be valuable means for increasing rumenic acid in ewes' milk, 445

review and meta-analysis of randomized controlled trials on effect of, and linoleic acid on growth and development of formula-fed infants, 1

study provides basis for use of oils containing, in human diets for cardioprotection, 995

α-LINOLENIC ELONGATION

data do not provide direct evidence for, by brain, 787

LINSEED

changes in milk and cheese fat composition of ewes fed commercial supplements containing, with special reference to conjugated linoleic acid content and isomer composition, 445

Linum usitatissimum

storage lipid accumulation in flaxseed, 1043

LIPASES

foam fractionation of fungal, offers potential as a valuable component of novel purification schemes, 323

LIPID(S)

extracted from plasma and lipoproteins using chloroform/methanol, 437 fractions of wood and bark samples from four Acacia species were isolated and sterols were identified and quantified by gas chromatography—mass spectrometry, 317

hydrocarbon effect on shrimp, and phosphatidylcholine molecular species, 487

research on, components of wine, 361

trans, in atopic dermatitis, 661

LIPID ALDEHYDE

mechanisms of, formation during lipid peroxidation, 1155

LIPID-BASED FORMULATIONS

in vitro method useful in predicting relative effectiveness of different, in vivo, 181

LIPID CHAIN LENGTH

effect of, on sterol solubilization studied using microcrystalline suspensions, 181

LIPID CLASSES

quantitative information on rates of accretion and depletion of newly synthesized docosahexaenoic acid into main, of fish tissues, 703

LIPID DIGESTION

method used for in vitro, 181

LIPID EXTRACT

fatty acids in a, from New Zealand green-lipped mussel, 355

LIPID FRACTIONS

red blood cell total fatty acid analyses used instead of analyses of red blood cell, to assess essential fatty acid status, 807

LIPID HYDROPEROXIDES

high density lipoproteins known to be major carriers of plasma, 1245

LIPID MEMBRANE

molecular dynamics of archaeal tetraether, 1023

LIPID METABOLISM

changes in stearoyl-coenzyme A desaturase expression may have impact on diseases of, 1187

effect of short-term starvation on, of Daphnia magna, 599

metabolic processes in fish, including, affected by season, temperature, and fish size, 39

LIPIDOMICS

cotton fiber cell, 773

study of lipidome referred to as, 383

LIPID OXIDATION

effect of dietary, on lipoprotein oxidation level, 437

problems involving specificity and detection sensitivity with respect to applications evaluating the early stage of, 203

unclear in what degree different types of, products survive from mouth to small intestine and beyond, 349

LIPID PEROXIDATION

β-eleostearic acid induced more, than α-eleostearic acid, 109 evaluation of association between apolipoprotein E genotypes and plasma F_2 -isoprostane levels, an index of, in humans, 329 mechanisms of, in vivo, 987

LIPID PROFILE

effects of antioxidants on, 335

LIPID SECRETION

lipid accumulation and, by Atlantic salmon hepatocytes, 477

LIPOLYSIS

of different oils using crude enzyme isolate from the intestinal tract of rainbow trout, Oncorhynchus mykiss, 1273

LIPOPEROXIDATION

resistance of bovine lipids to, 1245

LIPOPHILIC

prymnesins are highly oxygenated, toxins reminiscent of dinoflagellate toxins, 219

LIPOPOLYSACCHARIDES

adaptation of hydroxy acid composition in, 1263

LIPOPROTEIN METABOLISM

subtle differences in genes directly or indirectly involved in, 1207

LIPOPROTEINS

effects of stearic acid on plasma lipid and, in humans, 1201 peroxidizability of, in steers, 1245

LIPOSOMES

preparation of, using the Bangham method, 839

LIPOXYGENASE

inhibition of, and protection of low density lipoprotein oxidation by I-Tiao-Gung, 1171

linoleate diol synthase differs from, 1163

novel oxylipids formed from docosahexaenoic acid by potato, 249

LIQUID CHROMATOGRAPHY

sn-position determination of phospholipid-linked fatty acids derived from erythrocytes by, -electrospray ionization-ion-trap mass spectrometry, 211

LIVER

dietary α-linolenic acid increases brain but not heart and, docosahexaenoic acid levels, 787

effects of feeding pasture vs. concentrate diet on distribution of conjugated linoleic acid isomers in lipids of longissimus and semitendinosus muscle, and heart muscle and subcutaneous fat in beef bulls. 589

levels of, and muscle stanols in rats, 919

 $\beta\text{-}oxidation$ capacity of red and white muscle and, in Atlantic salmon, 39

under conditions of glycerol kinase deficiency, glycerol-3-phosphate and lipid production is maintained via alternative biosynthesis including glycolysis, glyceroneogenesis, or by direct acylation of glycerol in brain, muscle, kidney, and, but not in heart, 287 vaccenic acid metabolism in, of rat and bovine, 295

LIVER FAILURE

plasma lipid profiles of normal and, subjects, 515

LIVER-SPECIFIC FATTY ACID-BINDING PROTEIN

gene expression of, studied by Northern hybridization, 49

LONG-CHAIN FATTY ACIDS

contents of conjugated linoleic acid isomers and, were determined, 309

LONG-CHAIN n-6 FATTY ACIDS

influence of diet on contents of, in kidney, 1057

LONG-CHAIN POLYUNSATURATED FATTY ACID(S)

dietary nucleotides do not alter erythrocyte, in formula-fed term infants, 631

dietary phospholipids more efficient than neutral lipids for, supply in European sea bass *Dicentrarchus labrax* larval development, 609 modulation of respiratory syncytial virus-induced prostaglandin E₂ by n-3, in human respiratory epithelium, 1007

LOW DENSITY LIPOPROTEIN

directly precipitated from ethylene diamine tetraacetic acid plasma by buffered heparin, 437

Fourier transform infrared spectroscopy evaluation of, oxidation in the presence of quercetin, catechin, and α-tocopherol, 569

LOW DENSITY LIPOPROTEIN CHOLESTEROL

small amounts of *trans* fatty acids increase plasma level of, and decrease high density lipoprotein cholesterol, 1207

LOW DENSITY LIPOPROTEIN CHOLESTEROL DIET

and membrane sterols, 169

LOW DENSITY LIPOPROTEIN OXIDATION

antioxidant activity of various teas against free radicals and, 849 effect of potential antioxidants on, 259 inhibition of lipoxygenases and protection of, by I-Tiao-Gung, 1171

LOW DENSITY LIPOPROTEIN SIZE

paraoxonase-1 Gln192Arg and, response to diet, 471

LOW DENSITY LIPOPROTEIN-RECEPTOR

alternative mechanisms of, transcriptional regulation, 1237

LUMINOL

report of sensitive and specific reversed-phase chemiluminescence high-performance liquid chromatography with, for simultaneous measurement of hydroperoxides of cholesteryl ester and triglycerides in human plasma, 515

LUTEIN

oxygenated carotenoid found in dark green leafy vegetables, 1069 use of ¹³C tracer to investigate, as a ligand for plasma transthyretin in humans. 1013

LYMPHATIC ABSORPTION

in vitro rate of pancreatic lipase hydrolysis and, of three oils, 273

LYMPHATIC TRANSPORT

in rats of interesterified oils containing conjugated linoleic acids, 677 T-LYMPHOCYTE.

dietary n-3 polyunsaturated fatty acids increase, phospholipid mass and acyl-coenzyme A-binding protein expression, 81

T HELPER LYMPHOCYTES 1/T HELPER LYMPHOCYTES 2 POLAR-

infants born with immature immune system characterized by, 669

LYSOPHOSPHATIDATE ACYLTRANSFERASE

and storage lipid accumulation in flax, 1043

LYSOPHOSPHATIDYLCHOLINE

both brominated fatty acid derivatives and, derivatives show interesting biological activities, 981

LYSO-PLATELET ACTIVATING FACTOR

and new fatty acid derivatives from *Homaxinella* sp., a marine sponge, 981

M

MACROCYCLIC

review of polyether glycosidic ionophores and, glycosides, 219

MACROLACTONE

fatty amide glycosides, 641

MACULA

lutein in, 1013

MANILA CLAM

polyunsaturated cardiolipin in, 619

MARINE

biologically active, and terrestrial alkaloid glycosides, 1081

MARINE GRAZING FOOD CHAIN

lipids of marine pelagic fish species generally contain many kinds of fatty acids that originate from phytoplankton through zooplankton and micronekton in, 941

MARINE SPONGE Homaxinella SPECIES

new fatty acid derivatives from, 981

Marinobacter aquaeolei

influence of aliphatic hydrocarbons on lipid composition of, 1263

MASS SPECTROMETRY

analysis of oxidized tissue lipids used approach based on thin-layer chromatography and high-performance liquid chromatographyelectrospray ionization-, 349

and fragmentation patterns, 1163

bottom-up solution to the triacylglycerol lipidome using atmospheric pressure chemical ionization, 383

¹⁴C contents in plasma, urine, and feces measured by accelerator, 1069 gas chromatographic quantification of fatty acid methyl esters: flame ionization detection vs. electron impact, 419

high-performance liquid chromatography-electrospray ionization-, applied to analysis of oxidized triacylglycerol molecules, 437

sn-position determination of phospholipid-linked fatty acids derived from erythrocytes by liquid chromatography electrospray ionization ion-trap, 211

MATERNAL DIET

and chick tissue conjugated linoleic acids, 131

MEA

review of literature on altering fatty acid composition of poultry, 121 MEDICINE.

aporphine alkaloids have been used for many years in traditional, 1081 folk and herbal, 535

pharmacology of aromatic glycosides of great interest in, 869

polyether glycosidic ionophores and macrocyclic glycosides are of great interest in the fields of, and pharmacology, 219

MEDITERRANEAN DIET

characterized by 33-40% energy intake as fat, mainly from monounsaturated fatty acids from olive oil, 471

MEDIUM-CHAIN FATTY ACIDS

less octanoic acid recovered from oils from, 677

MEMBRANE(S)

electron spin resonance investigation of small spin probes in aqueous and vesicle phases of mixed, made from poly(oxyethylene) hydrogenated castor oil and hexadecane, 745

role of dietary fish oil in gut, fatty acid profiles, 925

support of generalized mechanism of enzyme inhibition such as perturbation of microenvironment of endoplasmic enzymes and alteration of, order to explain induction of apoptosis, 635

META-ANALYSIS

review and, of randomized controlled trials on effect of α -linolenic acid and linoleic acid on growth and development of formula-fed infants, I

METABOLIC CONVERSION

and biphasic incorporation of precursor-derived docosahexaenoic acid, 719

METABOLIC FATE

investigation of, of dietary triacylglycerol and diacylglycerol and their digestion products in stomach and small intestine, 281

METABOLIC PATHWAY

identification and quantification of glycerolipids in cotton fibers: reconciliation with, predictions from deoxyribonucleic acid databases 773

METABOLISM

ischemia and heart acyl-coenzyme A, 1149

quantification of human lutein, 1069

vaccenic acid, in liver of rat and bovine, 295

α-METHYLATED FATTY ACIDS

sulfur-substituted and, as peroxisome proliferator-activated receptor activators, 49

2-METHYLSULFANYL FATTY ACIDS

synthesis of novel series of, 1063

BALB/c MICE

conjugated linoleic acid increases endurance capacity in, 265

MICROALGAE OIL

n-3 index increased with, supplementation, 807

MILK

changes in, and cheese fat composition of ewes fed commercial supplements containing linseed with special reference to conjugated linoleic acid content and isomer.composition, 445

regulation of, fat synthesis, 89

study on the causes for elevated n-3 fatty acids in, from cows of Alpine origin, 191

MILK FAT SYNTHESIS

effect of abomasal infusions of geometric isomers of 10,12 conjugated linoleic acid on, in dairy cows, 823

MILKWEED OIL

synthesis and characterization of 4-hydroxy-3-methoxycinnamate esters of, 1179

MITOCHONDRIAL CHOLESTEROL TRANSPORT

as possible target in management of hyperlipidemia, 1237

MIXED MICELLES

solubilization of cholesterol and/or phytosterol in, 181

MOLECULAR CLONING

and expression and characterization of secretory phospholipase ${\bf A}_2$ in tobacco, 901

MOLECULAR DYNAMICS

of archaeal tetraether lipid membrane, 1023

MOLECULAR SPECIES

hydrocarbon effect on shrimp lipids and phosphatidylcholine, 487

MOLLUSKS

importance of long-chain polyunsaturated fatty acids in cardiolipin of, bivalves, 619

MONOACYLGLYCEROL

triacylglycerol is digested into diacylglycerol, free fatty acid, or, by lingual lipase or gastric lipase under acidic conditions, 281

MONODODECYL ETHER OF DECAETHYLENE GLYCOL

small amount of, was included to make reaction mixtures more thermodynamically stable and homogeneous, 249

Mortierella alpina 1S-4

molecular evidence that rate-limiting step for biosynthesis of arachidonic acid in, is at level of elongase, 25

MULTIPLICITY-EDITED HETERONUCLEAR SINGLE-QUANTUM CORRELATION

individual assignments of all carbons made from combination of, and heteronuclear multiple-bond correlation spectra, 1031

MUSCARINIC

differential receptor-dependent increases in contractility observed for, and prostanoid agonists, 925

MUSCLE

brain, kidney, and, tissues with elevated total phospholipid mass were

characterized by increased mass of ethanolamine glycerophospholipids, choline glycerophospholipids, and phosphatidylserine, 287

 $\beta\text{-}oxidation$ capacity of red and white, and liver in Atlantic salmon, 39 MUST

fatty acids in, prepared from 1-1 grapes grown in Japan: comparison with wine and effect or fatty acid ethyl ester formation, 361

MYCOLIC ACIDS

involved in maintaining rigid cell shape, resisting chemical injury and protecting cells against hydrophobic antibiotics, 535

N

NAPHTHALENE

glycosides of, derivatives, 869

NEGATIVE-STAINED TRANSMISSION ELECTRON MICROSCOPY PHOTOGRAPHY

liposome structure observed by, 839

NEUROBLASTOMA

changes of transcriptional and fatty acid profiles in response to n-3 fatty acids in SSY5Y neuroblastoma cells, 719

NEUTRAL LIPIDS

conjugated linoleic acids preferentially incorporated into, 1057 dietary phospholipids more efficient than, for long-chain polyunsaturated fatty acid supply in European sea bass *Dicentrarchus labrax* larval development, 609

NEW ZEALAND GREEN-LIPPED MUSSEL

fatty acids in a lipid extract from, 355

NITRIC OXIDE

sesamol induces, release from human umbilical vein endothelial cells, 955

NON-HIGH DENSITY LIPOPROTEIN-CHOLESTEROL

positive correlations observed between median osmotic fragility and plasma total cholesterol and, concentrations, 175

NONMETHYLENE-INTERRUPTED FATTY ACIDS

identification of, in limpets, 627

NON-PHOSGENE METHOD

and carbamate-linked cationic lipids for gene delivery, 839

NORISOPRENOIDS

natural, structurally derived from carotenoids are widely distributed in plant kingdom, 535

NUCLEAR MAGNETIC RESONANCE

cardiolipin isolated by high-performance liquid chromatography and chemical structure characterized using, spectroscopy, 619 structural investigation of oil components accomplished using, 1051 structure of two new compounds deduced from gas chromatography mass spectrometry and detailed, data, 963

13C NUCLEAR MAGNETIC RESONANCE

used to characterize derivatives, 375

H NUCLEAR MAGNETIC RESONANCE

spin-spin relaxation time of protons of acyl residues on triacylglycerol in oil-in-water emulsions measured by, 501

used to characterize derivatives, 375

H AND 13C NUCLEAR MAGNETIC RESONANCE

characterization and stereochemical assignments of bile acids in aqueous media, 1031

NUCLEAR OVERHAUSER ENHANCEMENT SPECTROSCOPY experiments performed using, 1031

NUCLEOSIDES

glycosylamines made by attaching nucleobase to ribose ring, 641 NUCLEOTIDES

dietary, do not alter erythrocyte long-chain polyunsaturated fatty acids in formula-fed term infants, 631

NUTRITION

studies of bivalve, 931

O

OCULAR LENS

3β[2-(diethylamino)ethoxy]androst-5-en-17-one recently shown to induce apoptosis in cultured, cells and neurons, 635

OIL-IN-WATER EMULSION

effects of droplet size on oxidative stability of, 501

OILS

cyanolipid-rich seed, from two Allophylus species, 1051

OLEIC ACID

and lymphatic transport of conjugated linoleic acid, 677

biosynthesis of, from palmitic acid involves sequential reactions catalyzed by palmitoyl-coenzyme A chain elongase and stearoylcoenzyme A desaturase, 463

preferred substrate for complex lipid synthesis, 1187

OLIVE OIL

effect of increasing dietary level of rapeseed oil and, to replace capelin oil in Atlantic salmon, 39

OPTICAL ISOMERS

9-hydroxy-2E-decenoic acid exists as mixture of, 833

OSTEOBLAST

sources of phospholipid hydrolysis products for downstream signaling in. 1135

OXIDATION

Fourier transform infrared spectroscopy evaluation of low density lipoprotein, in the presence of quercetin, catechin, and α-tocopherol. 569

monitoring, of docosahexaenoic acid in lipids, 969 one-pot reaction starting with purified milkweed oil, 1179

B-OXIDATION

capacity in Atlantic salmon, 39

eicosapentaenoic acid, but not oleic acid, stimulates, in adipocytes, 815

OXIDATIVE STABILITY

effects of droplet size on, of oil-in-water emulsions, 501

OXIDATIVE STRESS

isoprostane as excellent biomarker of, in vivo, 987 plasma nonesterified fatty acid concentrations may be reduced as a

plasma nonesterified fatty acid concentrations may be reduced as a consequence of increase in, 433

OXIDOSQUALENE CYCLASE

analogs of squalene and oxidosqualene inhibit, of *Trypanosoma cruzi* . expressed in *Saccharomyces cerevisiae*, 1257

prokaryotic squalene-hopene cyclase and eukaryotic 2,3-, catalyze conversion of linear isoprenoid precursors, 729

OXIDOSQUALENE CYCLASE INHIBITORS

and analogs of squalene and oxidosqualene inhibit oxidosqualene cyclase of *Trypanosoma cruzi* expressed in *Saccharomyces cere*visiae, 1257

OXYGEN UPTAKE

and effects of droplet size on oxidative stability of oil-in-water emulsions, 501

OXYLIPINS

novel, formed from docosahexaenoic acid by potato lipoxygenase, 249 OYSTERS

changes in fatty acid composition of, 931

P

PALM FIBER OIL

report of supercritical fluid chromatography separation and quantification of four minor oilseed components from crude palm oil and, 429

PALM OIL

simultaneous quantification of, components by gas chromatography–flame ionization detection, 523

PALM VITAMIN E

comparative effects of, and α-tocopherol on healing and wound tissue antioxidant enzyme levels in diabetic rats, 575

PALMITIC ACID

membranes with high, content are always rigid and need to maximize their unsaturated linoleic acid content to maintain membrane fluidity, 369

PALMITOYL-COENZYME A CHAIN ELONGASE

biosynthesis of oleic acid from palmitic acid involves sequential reactions catalyzed by, and stearoyl-coenzyme A desaturase, 463

PARAOXONASE 1

carbohydrate-rich diet reduces low density lipoprotein size in QQ homozygotes for the Gln192Arg polymorphism of, gene, 471

PARATHYROID HORMONE

stimulates phosphatidylethanolamine hydrolysis by phospholipase D in osteoblastic cells, 1135

PARTICLE NUMBER

lymph particle size and, measured by a particle sizer during absorption of structured oils in rats, 273

PARTICLE SIZE

lymph, and number measured by a particle sizer during absorption of structured oils in rats, 273

PARTITION COEFFICIENTS

distribution of nitroxyl spin probes between vesicle and aqueous phases expressed by, 745

PARTITIONING

of interest in terms of solubilization and membrane transport, 745 PASTURE

effect of, vs. concentrate diet on conjugated linoleic acid isomer distribution in different tissue lipids of beef cattle, 589

PERIPHERAL BLOOD MONONUCLEAR CFLLS

and whole blood stimulation, 909

effects studied on messenger ribonucleic acid expression of $\Delta 9, \Delta 6,$ and $\Delta 5$ desaturases and of elongase by, 137

PEROXIDE VALUE

and quantitative determination of total lipid hydroperoxides by a flow injection analysis system, 203

PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR ACTIVA-TORS

sulfur-substituted and α-methylated fatty acids as, 49

PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR-α

stability of fatty acyl-coenzyme A thioester ligands of hepatocyte nuclear factor- 4α and, 559

PHARMACOLOGY

of aromatic glycosides of great interest in medicine, 869

polyether glycosidic ionophores and macrocyclic glycosides are of great interest in the fields of medicine and, 219

study of biologically active marine alkaloids profoundly influenced the course of discovery in fields ranging from, to oncology, 1081 use of carotenoid glycosides and isoprenoid glycolipids in, 535

use of fatty acid amide glycosides, their analogs and derivatives in, 641

PHASE TRANSITION

hypothesis that, of low density lipoprotein core is associated with spherical to discoid change in shape of lipoprotein particle, 495 PHENOLIC

glycolipids play important key role as antigenic probe for serodiagnosis of some human pathogen mycobacterial infections, 535

glycosides play a key role in plant health, 869

PHENYLETHANOID

glycosides are a group of water-soluble natural compounds widely distributed in medicinal plants, 869

PHENYLPROPANOID

compounds have a wide array of important functions in plants, 869 PHOSPHATIDYLCHOLINE

both, and phosphatidylethanolamine are substrates for phospholipase D in UMR-106 osteoblastic cells, 1135

hydrocarbon effect on shrimp lipids and, molecular species, 487 minor oxidation induced when, was transformed into phosphatidylethanolamine, 969

PHOSPHATIDYLETHANOLAMINE

both phosphatidylcholine and, are substrates for phospholipase D in UMR-106 osteoblastic cells, 1135

minor oxidation induced when phosphatidylcholine was transformed into, 969

PHOSPHATIDYLINOSITOL

sciadonic acid is a polymethylene-interrupted polyunsaturated fatty acid that is present in conifer seeds and accumulates in membrane, as a substitute for arachidonic acid, 155

PHOSPHOLIPASE A.

molecular cloning, expression, and characterization of secretory, in to-bacco, 901

PHOSPHOLIPASE D

both phosphatidylcholine and phosphatidylethanolamine are substrates for, in UMR-106 osteoblastic cells, 1135

PHOSPHOLIPID MOLECULAR SPECIES

and polyunsaturated cardiolipin in Manila clam, 619

PHOSPHOLIPIDS

effects of two conjugated linoleic acid isomers on fatty acid compositions of plasma, cholesteryl esters, and triacylglycerols, 137

markedly higher conjugated linoleic acid contents observed in neutral lipids than in, 1057

separation of, and fractionation by high-performance liquid chromatography, 211

PHYSICAL STATE

study investigated whether shape of low density lipoprotein depends on, and/or lipid composition of lipoprotein core, 495

PHYTOSTANOL ESTER

effects of a water-soluble, on plasma cholesterol levels and red blood cell fragility in hamsters, 175

PHYTOSTEROL(S)

fish oil esters of, and plasma lipids, 695

solubilization of cholesterol and/or, in mixed micelles, 181

through the process of hydrogenation, are converted to phytostanols, 175

PI-3 KINASE/PROTEIN KINASE B

sesamol-induced endothelial nitric oxide synthase gene expression confirmed to be mediated through the, pathway, 955

PICOLINYL ESTERS

unusual minor nonmethylene-interrupted fatty acids identified in lipids of limpet gonads using gas chromatography-mass spectrometry of combination of 4,4-dimethyloxazoline derivatives and, 627

PLANT STANOLS

esterification of, with ascorbic acid, a water-soluble compound, increases cholesterol-lowering efficacy in hamsters fed atherogenic diets, 175

PLANT STEROLS

effects of a diet high in, vegetable proteins, and viscous fibers on circulating sterol levels and red cell fragility in hypercholesterolemic subjects, 169

may have either beneficial or detrimental effects on red blood cell fragility, 175

PLASMA CHOLESTEROL

influence of dietary saturated fatty acids on the regulation of, 1207 PLASMA LIPID(S)

effects of stearic acid on, and lipoproteins in humans, 1201 fish oil esters of phytosterols and, 695

PLASMALOGEN

effects of aging and dietary n-3 fatty acids on rat brain phospholipids with a focus on, 799

Pleurotus sapidus

foam fractionation of exo-lipases from, a growing fungus, 323

PODOPHYLLOTOXIN

anticancer activity of fatty, 303

functionalized fatty, as an anticancer agent 375

POLYETHER

review of, glycosidic ionophores and macrocyclic glycosides, 219

POLYHYDROXY TRIACYLGLYCEROLS

final isolation of, 1179

POLYMETHYLENE-INTERRUPTED POLYUNSATURATED FATTY

sciadonic acid is a, that is present in conifer seeds and accumulates in membrane phosphatidylinositol as a substitute for arachidonic acid, 155

Gln192Arg POLYMORPHISM

carbohydrate-rich diet reduces low density lipoprotein size in QQ homozygotes for the, of paraoxonase 1 gene, 471

effects of dietary n-3, metabolism 787

POLYUNSATURATED FATTY ACID(S)

as activators of peroxisome proliferator-activated receptor-α, 49 data support the hypothesis that the elongase responsible for conversion of γ-linolenic acid to dihomo-γ-linolenic acid plays an important role in, synthesis, 25

effects of dietary n-3, metabolism, 787

effects of saturated fatty acids at different levels of, 1207

established that bivalves have limited ability to synthesize essential,

potato tuber lipoxygenase shown to catalyze oxygenation of a range of, 249

recommendations for levels of 18-C, supplementation in preterm and term infant formulas, 1

n-3 POLYUNSATURATED FATTY ACID(S)

comparison of size and number of lymph particles produced during absorption of a bolus of structured triacylglycerols containing decanoic acid and, of marine origin, 273

dietary, increase T-lymphocyte phospholipid mass and acyl-coenzyme A-binding protein expression, 81

high levels of, generally found in tissue phospholipids in all marine fish, 941

influence immune functioning and may affect cytokine phenotype during development, 669

POSTPRANDIAL

background diet with stearic and oleic acid may attenuate, factor VII activation, 1229

lipids and hemostatic function, 1221

POTATO TUBER

lipoxygenase from, shown to catalyze aerobic formation of at least four major oxygenated derivatives of docosahexaenoic acid, 249 POTENTIAL ATHEROSCLEROSIS

prolonged retention of sitostanol and campestanol in plasma might increase. 919

POULTRY

n-3 fatty acid enrichment of edible tissue of, 121

PRIMARY CULTURE

and lipid accumulation and secretion by Atlantic salmon hepatocytes, 477

PRIMARY HYPERCHOLESTEROLEMIA

serum adiponectin in familial-related severe, 163

PRIMARY PREVENTION TRIAL(S)

SU.VI.MAX study a randomized, double-blind, placebo-controlled, 335 PROSTAGLANDIN

generation of, via the isoprostane pathway, 987

increase in ileal contractility induced by, 925

modulation of respiratory syncytial virus-induced, E₂ by n-3 longchain polyunsaturated fatty acids in the human respiratory epithelium, 1007

PROSTANOID DEFECT

fish oil restores spontaneously hypertensive rat gut, 69

PROTEIN KINASE C

production and, activation of diacylglycerols containing polymethylene-interrupted polyunsaturated fatty acids, 155

Pseudomonas oleovorans

determining influence of aliphatic hydrocarbons on lipid composition of, 1263

Q

O192R

relationship between, polymorphism, and lipid response to different types of diets in humans, 471

QUADRUPOLE MASS SPECTROMETRY

quantification of fatty acid methyl esters used both ion trap mass spectrometry and, systems, 419

QUALITATIVE AND QUANTITATIVE FATTY ACID DETERMINATION

using Fourier transform near infrared spectroscopy, 855

QUANTITATIVE ANALYSIS

to determine total amount of lipid hydroperoxides, 203

OUATERNARY CARBON DETECTION

quaternary carbons unambiguously assigned using spectra from, experiments, 1031

OUERCETIN

Fourier transform infrared spectroscopy evaluation of low density lipoprotein oxidation in the presence of, catechin and α-tocopherol, 569

R

RADIOISOTOPE

used in quantifying human micronutrient metabolism, 1069

RAINBOW TROUT

fatty acid composition of wild and farmed Atlantic salmon and, 529 lipolysis of different oils using crude enzyme isolate from the intestinal tract of, *Oncorhynchus mykiss*, 1273

RANDOMIZED CONTROLLED TRIAL

shows that docosahexaenoic acid supplementation in vegetarians effectively increased n-3 index, 807

study to examine effect of nucleotide-supplemented cow's milk-based formula on erythrocyte phospholipid fatty acid status in large, involving well-nourished infant population born at term, 631

Rantherium suaveolens

new ceramides from, 1075

RAPESEED OIL

dietary, and fatty acid metabolism in salmon hepatocytes, 709 effect of increasing dietary level of, and olive oil to replace capelin oil in Atlantic salmon. 39

RAT(S)

comparison of effects of feeding safflower oil, flaxseed oil, and fish oil on splenic T-lymphocyte proliferation, phospholipid mass, and acyl-coenzyme A-binding protein expression in the, 81

comparison of particle size and number in, lymph following administration of four different oils, 273

effects of aging and dietary n-3 fatty acids on, brain phospholipids with focus on plasmalogens, 799

high-fat diets impede lowering effect of cyclosporine A on, brain lipids and interact with expression of apolipoproteins E and J, 59

lymphatic transport in, of interesterified oils containing conjugated linoleic acids, 677

vaccenic acid metabolism in liver of, and bovine, 295

RED BLOOD CELL FRAGILITY

fish oil fatty acid esters of phytosterols alter plasma lipids but not, in hamsters, 695

RED CELL FRAGILITY

effects of a diet high in plant sterols, vegetable proteins, and viscous fibers on circulating sterol levels and, in hypercholesterolemic subjects, 169

RED WINE

fatty acid components of musts made from grape cultivars grown for

REGULATION

alternative mechanisms of low density lipoprotein-receptor transcriptional, 1237

RELATIVE RETENTION VOLUME

values of all conjugated linoleic acid isomers obtained, 509

RENAL CELL CANCER

lipid class distribution of conjugated linoleic acids in, 1057 subcellular distribution of conjugated linoleic acid in, 309

RENAL FUNCTION

similarity between blood and plasma values in, 1125

RENAL FUNCTION AND STRUCTURE

biochemical, functional, and histochemical effects of essential fatty acid deficiency in rat, 1125

RENAL GLOMERULAR FUNCTION

essential fatty acid-deficient diet decreased, and renal proximal tubular function, 1125

RENAL PROXIMAL TUBULAR FUNCTION

essential fatty acid-deficient diet decreased renal glomerular function and, 1125

RENAL STRUCTURE

essential fatty acid-deficient diet altered, and histochemistry, 1125 RESOLVINS

group of several docosahexaenoic acid oxygenation product compounds termed, because they were formed during the resolution phase of acute inflammatory response, 249

RESPIRATORY EPITHELIUM

modulation of respiratory syncytial virus-induced prostaglandin E2 by n-3 long-chain polyunsaturated fatty acids in human, 1007

RESPIRATORY SYNCYTIAL VIRUS

n-3 long-chain polyunsaturated fatty acid modulation of, -induced prostaglandin E2, 1007

RETINA

transthyretin present in both plasma and, 1013

ROYAL JELLY

esters of 10-hydroxy-2-decenoic acid from, of honeybees (Apis mellifera), 833

RUMENIC ACID

and trans-vaccenic acid relationship, 445

S

SAPINDACEAE

seed oils from some species of, shown to accumulate triacylglycerols and cyanolipids, 1051

SATURATED FATTY ACIDS

influence of dietary, on the regulation of plasma cholesterol, 1207 SCIADONIC ACID

is polymethylene-interrupted polyunsaturated fatty acid that is present in conifer seeds and accumulates in membrane phosphatidylinositol as a substitute for arachidonic acid, 155

SERUM AND CELL MEMBRANE STEROL COMPOSITION

cholesterol-lowering diet and, 169

SESAMOL

induces nitric oxide release from human umbilical vein endothelial

SHRIMP

hydrocarbon effect on, lipids and phosphatidylcholine molecular

SILVER-ION HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY retention order for conjugated linoleic acid fatty acid methyl esters by,

SIMVASTATIN

effects of, on plasma kinetics of free and esterified cholesterol in familial hypercholesterolemia, 737

SINGLE NUCLEOTIDE POLYMORPHISM

and associations between apolipoprotein E genotype and circulating F₂-isoprostane levels in humans, 329

SINGLE DISPERSION

of oil-in-water emulsions, 501

SMALL INTESTINE

investigation of metabolic fate of dietary triacylglycerol and diacylglycerol and their digestion products in stomach and, 281

SMOKING

genotype groups compared using multiple regression analysis with adjustment for sex, age, race, body mass index, plasma ascorbic acid, \(\beta\)-carotene, and, status, 329

SODIUM DODECYL SULFATE

and novel oxylipins, 249

SOLID-PHASE EXTRACTION

significant amounts of fatty acid ethyl ester found in wines by using a, method, 361

SOLUBILIZATION

of cholesterol and/or phytosterol in mixed micelles, 181

SOURCES

intake, digestion, absorption, and, of dietary stearic acid and risk of cardiovascular disease, 1193

SPECIFICITY

determination of positional, of crude enzyme isolate, 1273

SPIN PROBES

electron spin resonance investigation of small, in aqueous and vesicle phases of mixed membranes made from poly(oxyethylene) hydrogenated castor oil and hexadecane, 745

SPINASTEROL

found to have considerable therapeutic potential in modulating development and/or progression of diabetic nephropathy, 317

SPONGE(S)

fatty acid composition of Lake Baikal, 963

SOUALENE

application of supercritical fluid chromatography in quantitative analysis of carotenes, vitamin E, sterols, and, from palm oil, 429 simultaneous quantification of free fatty acids, free sterols, acylglycerol molecular species and, in palm oil, 523

SQUALENE-HOPENE CYCLASE

synthesis and biological activity of new iodoacetamide derivatives on mutants of, 729

SQUALENE-HOPENE CYCLASE MUTANTS

inhibition of, 729

BLE ISOTOPE

measurement of, in derivatized lutein fraction, 1013

STARVATION

effect of short-term, on lipid metabolism of Daphnia magna, 599

STEARATE

structure and sources of, 1187

STEARIC ACID

effects of, on plasma lipid and lipoproteins in humans, 1201 influence of, on hemostatic risk factors in humans, 1229 influence of, on postprandial lipemia and hemostatic function, 1221 intake, sources, digestion, and absorption of, and risk of cardiovascular disease, 1193

lipid characterization of seed oils from high-palmitic, low-palmitoleic, and very high, sunflower lines, 369

STEARIDONIC ACID

dietary supplementation with purified, 995

STEAROYL-COENZYME A DESATURASE

biosynthesis of oleic acid from palmitic acid involves sequential reactions catalyzed by palmitoyl-coenzyme A chain elongase and,

changes in, expression may have an impact on diseases of lipid metab-

peroxidizability of lipoproteins in, 1245

STEREOCHEMICAL ASSIGNMENTS

H and 13C nuclear magnetic resonance characterization and stereochemical assignments of bile acids in aqueous media, 1031

STEROL(S)

application of supercritical fluid chromatography in quantitative analysis of carotenes, vitamin E, squalene, and, from palm oil,

simultaneous quantification of free fatty acids, squalene, acylglycerol molecular species, and free, in palm oil, 523

STEROL BIOSYNTHESIS INHIBITION

and analogs of squalene and oxidosqualene inhibit oxidosqualene cyclase of Trypanosoma cruzi expressed in Saccharomyces cerevisiae, 1257

STEROL 27-HYDROXYLASE

both cholesterol 7α-hydroxylase and, negatively regulated by cholate,

metabolism of cholesterol to 27-hydroxycholesterol by, believed to play several roles in the maintenance of cholesterol homeostasis, 1237

STEROL REGULATORY ELEMENT-BINDING PROTEIN initially synthesized as large proteins, 1187

STEROL SYNTHESIS

comparison of effects of 3B[2-(diethylamino)ethoxylandrost-5-en-17one and enantiomeric 3B[2-(diethylamino)ethoxy]androst-5-en-17-one on, and induction of apoptosis, 635

STERYL GLUCOSIDES

were analyzed and quantified by gas chromatography-mass spectrometry. 317

STILBENES

glycosidic compounds have been classified into several groups including, 869

STOMACH

investigation of metabolic fate of dietary triacylglycerol and diacylglycerol and their digestion products in, and small intestine, 281

STRUCTURAL CHARACTERIZATION

of fatty acids from marine aerobic anoxygenic phototrophic bacteria using gas chromatography-mass spectrometry, 97

STRUCTURE

both normal metabolism of low density lipoprotein and pathogenic properties of lipoprotein particle depend on, of apolipoprotein B-100, 495

STRUCTURED LIPIDS

in mammals, improve absorption of long-chain fatty acids in comparison with conventional long-chain triacylglycerols, 1273

STRUCTURED OILS

regiospecific analysis of, 677

size and number of lymph particles measured by a particle sizer during absorption of, in rats, 273

SUBCELLULAR FRACTIONATION

into nuclear, mitochondrial, plasma membrane, and cytosolic fractions, 309

SUBCUTANEOUS FAT

effects of feeding pasture vs. concentrate diet on distribution of conjugated linoleic acid isomers in lipids of longissimus and semitendinosus muscle, liver, heart muscle and, in beef bulls, 589

SUNSCREEN

and synthesis and characterization of 4-hydroxy-3-methoxycinnamate esters of milkweed oil, 1179

SUNFLOWER

lipid characterization of seed oils from high-palmitic, low-palmitoleic, and very high stearic acid, lines, 369

SUPERCRITICAL FLUID CHROMATOGRAPHY

in the analysis of palm oil, 429

SUPPLEMENTATION TECHNIQUES

important to develop more effective, of polyunsaturated fatty acid delivery, 931

SURFACTANTS

review of diversity of natural, 219, 535, 641, 869, 1081

SWISS 3T3 CELLS

used in research on inositolphospholipid signaling, 155

SYNTHESIS

and characterization of series of carbamate-linked cationic lipids for gene delivery, 839

pyloric ceca capable of polyunsaturated fatty acid, 703

SYSTEMATIC REVIEW

and meta-analysis of randomized controlled trials on effect of α linolenic acid and linoleic acid on growth and development of formula-fed infants, 1

T

antioxidant activity of, 849

TERM INFANTS

dietary nucleotides do not alter erythrocyte long-chain polyunsaturated fatty acids in formula-fed, 631

TERRESTRIAL

biologically active marine and, alkaloid glycosides, 1081

TETRAETHER

diether and, glycolipids, 535

2,2,6,6,-TETRAMETHYL-1-PIPERIDINYLOXY

for kinetic experiments performed spectrophotometrically, was excluded from mixture because its high absorptivity interfered with ultraviolet analysis, 249

3-THIA FATTY ACIDS

delayed catabolism of, 49

THIOBARBITURIC ACID-REACTIVE SUBSTANCE(S)

and peroxidizability of lipoproteins in steers, 1245

THIOBARBITURIC ACID-REACTIVE SUBSTANCE PRODUCTION and effect of potential antioxidants on low density lipoprotein oxidation, 259

THIOETHERS

synthesized from a new molecule, 375

THROMBOGENESIS

and influence of stearic acid on hemostatic risk factors in humans. 1229

TOBACCO

molecular cloning, expression, and characterization of secretory phospholipase A, in, 901

α-TOCOPHEROL

comparative effects of palm vitamin E and, on healing and wound tissue antioxidant enzyme levels in diabetic rats, 575

Fourier transform infrared spectroscopy evaluation of low density lipoprotein oxidation in the presence of quercetin, catechin, and, 569

TOPOISOMERASE II

4-O-podophyllotoxinyl 12-hydroxyl-octadec-Z-9-enoate inhibited catalytic activity of, 303

TOTAL CHOLESTEROL

positive correlations observed between median osmotic fragility and plasma, and non-high density lipoprotein cholesterol concentra-

TOXICITY

and hydrocarbon effect on shrimp lipids and phosphatidylcholine molecular species, 487

TRACE ELEMENTS

assess effects of supplementation with nutritional doses of antioxidant vitamins and, 335

TRACER

use of 13C, to investigate lutein as a ligand for plasma transthyretin in humans, 1013

TRANSFECTION

increasing carbon chain length increased luciferase activity in, assays, 49

TRANSTHYRETIN

use of ¹³C tracer to investigate lutein as a ligand for plasma, in humans, 1013

TRIACYLGLYCEROL BIOSYNTHESIS

limited studies of, in flax, 1043

TRIACYLGLYCEROL HYDROLASE

and overexpression of hepatic neutral cytosolic cholesteryl ester hydrolase, 31

TRIACYLGLYCEROL(S)

effects of two conjugated linoleic acid isomers on fatty acid compositions of plasma phospholipids, cholesteryl esters, and, 137

maternal supplementation with conjugated linoleic acid leads to reduction in hatchability, liver, and carcass total fat in newly hatched chicks, 131

metabolites of dietary, and diacylglycerol during the digestion process in rats, 281

structural elucidation of, 1051

sum of all possible structures of, 383

TRIGLYCERIDE HYDROPEROXIDE

not detected in healthy subjects, 515

TRIGLYCERIDE(S)

hydrolysis of, 969

sum of all possible structures of, 383

TROUT

distribution of docosahexaenoic acid newly synthesized from alinolenic acid into glycerolipid classes from tissues of rainbow, 703

Trypanosoma cruzi

analogs of squalene and oxidosqualene inhibit oxidosqualene cyclase of, expressed in Saccharomyces cerevisiae, 1257

TUBULIN POLYMERIZATION

4-O-podophyllotoxinyl 12-hydroxyl-octadec-Z-9-enoate did not inhibit, 303

TURKEY

when fed similar diets a, would have lower docosahexaenoic acid content in tissues than a broiler, 121

U

ULTRAVIOLET ABSORBER

and 4-hydroxy-3-methoxycinnamate esters of milkweed oil, 1179
UMR-106

both phosphatidylcholine and phosphatidylethanolamine are substrates for phospholipase D in, osteoblastic cells, 1135

UNSATURATION INDEX

among five grapes grown in Hokkaido order of, in must was identical to the level of cryotolerance, 361

V

VACCENIC ACID

metabolism of, in liver of rat and bovine, 295

VEGETABLE OILS

main sources of trans fatty acids are industrially produced partially hydrogenated, as well as milk and meat fats from ruminants, 855

n-3 VEGETABLE OILS

dietary, and cardiac n-3 fatty acids, 995

VEGETARIANS

randomized trial shows that docosahexaenoic acid supplementation in, effectively increased n-3 index, 807

VERY LOW DENSITY LIPOPROTEIN

chylomicrons and, separated from plasma by ultracentrifugation, 437

VESICLE

electron spin resonance investigation of small spin probes in aqueous and, phases of mixed membranes made from poly(oxyethylene) hydrogenated castor oil and hexadecane, 745

VITAMIN E

application of supercritical fluid chromatography in quantitative analysis of carotenes, sterols, squalene, and, from palm oil, 429

VITAMINS

effects of supplementation with nutritional doses of antioxidant, and trace elements. 335

necessary for metabolic remethylation and transsulfuration pathways during homocysteine synthesis, 259

W

WATER-SOLUBLE FRACTION

changes in phosphatidylcholine molecular species in shrimp *Macro-brachium borellii* in response to, of petroleum, 487

WOOD

identification of $\Delta 7$ phytosterols and phytosteryl glucosides in, and bark of several *Acacia* species, 317

WOUND HEALING

use of antioxidants in accelerating, 575

Y

YEAST

higher linoleic acid levels in must may be related to lower fatty acid ethyl ester formation by, 361

Z

ZUCKER fa/fa RATS

regulation of palmitoyl-coenzyme A chain elongation by clofibric acid in liver of, 463